

**PX2FN1XX046BACHX Information**


For Reference Only

**Part Number** [PX2FN1XX046BACHX](#)  
**Manufacturer** Honeywell Sensing and Productivity Solutions  
**Category** Sensors, Transducers  
[Pressure Sensors, Transducers](#)  
**Description** HEAVY DUTY PRESSURE TRANSDUCER  
**Package** Cylinder  
 For the pricing/inventory/lead time, please contact us  
 Website: <https://www.heisener.com>  
 E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)


[Request a Quote](#)
**Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.


**PX2FN1XX046BACHX Specifications**

Manufacturer Part Number	<a href="#">PX2FN1XX046BACHX</a>
Manufacturer	Honeywell Sensing and Productivity Solutions
Category	Sensors, Transducers <a href="#">Pressure Sensors, Transducers</a>
Package	Cylinder
Series	PX2
Pressure Type	Absolute
Operating Pressure	667.17 PSI (4600 kPa)
Output Type	Analog Current
Output	4 mA ~ 20 mA
Accuracy	±0.25%
Voltage - Supply	8 V ~ 30 V
Port Size	Male - 1/4" (6.35mm) NPT
Port Style	Threaded
Features	Temperature Compensated
Termination Style	Wire Leads
Maximum Pressure	1000.76 PSI (6900 kPa)
Operating Temperature	-40°C ~ 125°C
Package / Case	Cylinder
Supplier Device Package	-

[Report errors?](#)

## PX2FN1XX046BACHX Guarantees



### Quality Guarantees

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## PX2FN1XX046BACHX Payment Methods



## PX2FN1XX046BACHX Shipping Methods



If you have any question about PX2FN1XX046BACHX, please do not hesitate to contact us!

Website: <https://www.heisener.com>

E-mail: [salesdept@heisener.com](mailto:salesdept@heisener.com)