



PY1101F-TR Information



For Reference Only

Part Number PY1101F-TR
Manufacturer Stanley Electric Co
Category Optoelectronics

LED Indication - Discrete

Description LED GREEN CLEAR 2SMD R/A

Package 2-SMD, No Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









PY1101F-TR Specifications

Manufacturer Part Number PY110IF-TR Manufacturer Stanley Electric Co Category Optoelectronics IED Indication - Discrete Package 2-SMD, No Lead Series 1101F Color Green Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	ı.	
Category Optoelectronics LED Indication - Discrete Package 2-SMD, No Lead Series 1101F Color Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Manufacturer Part Number	PY1101F-TR
Package 2-SMD, No Lead Series 1101F Color Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Manufacturer	Stanley Electric Co
Package 2-SMD, No Lead Series 1101F Color Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Category	Optoelectronics
Series 1101F Color Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm		LED Indication - Discrete
Color Green Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Package	2-SMD, No Lead
Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 8.8mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Series	1101F
Lens ColorColorlessLens TransparencyClearMillicandela Rating8.8mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle131°, 120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant572nmWavelength - Peak570nmFeatures-Package / Case2-SMD, No LeadSupplier Device Package-Size / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Color	Green
Lens TransparencyClearMillicandela Rating8.8mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle131°, 120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant572nmWavelength - Peak570nmFeatures-Package / Case2-SMD, No LeadSupplier Device Package-Size / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Configuration	-
Millicandela Rating Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Lens Color	Colorless
Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)2.1VCurrent - Test20mAViewing Angle131°, 120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant572nmWavelength - Peak570nmFeatures-Package / Case2-SMD, No LeadSupplier Device Package-Size / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Millicandela Rating	8.8mcd
Current - Test 20mA Viewing Angle 131°, 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Lens Style/Size	Rectangle with Domed Top, 2.00mm x 1.00mm
Viewing Angle131°, 120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant572nmWavelength - Peak570nmFeatures-Package / Case2-SMD, No LeadSupplier Device Package-Size / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Voltage - Forward (Vf) (Typ)	2.1V
Mounting TypeSurface Mount, Right AngleWavelength - Dominant572nmWavelength - Peak570nmFeatures-Package / Case2-SMD, No LeadSupplier Device Package-Size / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Current - Test	20mA
Wavelength - Dominant 572nm Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Viewing Angle	131°, 120°
Wavelength - Peak 570nm Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Mounting Type	Surface Mount, Right Angle
Features - Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Wavelength - Dominant	572nm
Package / Case 2-SMD, No Lead Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Wavelength - Peak	570nm
Supplier Device Package - Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Features	-
Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Package / Case	2-SMD, No Lead
Height (Max) 1.00mm	Supplier Device Package	-
	Size / Dimension	3.00mm L x 2.00mm W
Report errors?	Height (Max)	1.00mm
		Report errors?

PY1101F-TR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

PY1101F-TR Payment Methods



















PY1101F-TR Shipping Methods













If you have any question about PY1101F-TR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com