



QBLP1515-AG5 Information



For Reference Only

Part Number QBLP1515-AG5
Manufacturer QT Brightek (QTB)
Category Optoelectronics

LED Indication - Discrete

Description 1515 PLCC4/ WHITE HOUSING/ ALING

Package 4-SMD, J-Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









QBLP1515-AG5 Specifications

Manufacturer Part Number QBLP1515-AG5 Manufacturer QT Brightek (QTB) Category Optoelectronics LED Indication - Discrete Package 4-SMD, J-Lead Series QBLP1515-XX5 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm		
Category Optoelectronics LED Indication - Discrete Package 4-SMD, J-Lead Series QBLP1515-XX5 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Manufacturer Part Number	QBLP1515-AG5
Package 4-SMD, J-Lead Series QBLP1515-XX5 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Manufacturer	QT Brightek (QTB)
Package 4-SMD, J-Lead Series QBLP1515-XX5 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Category	Optoelectronics
Series QBLP1515-XX5 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm		LED Indication - Discrete
Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Package	4-SMD, J-Lead
Configuration - Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Series	QBLP1515-XX5
Lens Color - Lens Transparency - Millicandela Rating 30mcd Lens Style/Size Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Color	Yellow-Green
Lens Transparency Millicandela Rating Square with Flat Top Voltage - Forward (Vf) (Typ) 1.9V Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package Size / Dimension Height (Max) 1.20mm	Configuration	-
Millicandela Rating30mcdLens Style/SizeSquare with Flat TopVoltage - Forward (Vf) (Typ)1.9VCurrent - Test5mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant570nmWavelength - Peak-Features-Package / Case4-SMD, J-LeadSupplier Device Package4-PLCCSize / Dimension1.60mm L x 1.50mm WHeight (Max)1.20mm	Lens Color	-
Lens Style/SizeSquare with Flat TopVoltage - Forward (Vf) (Typ)1.9VCurrent - Test5mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant570nmWavelength - Peak-Features-Package / Case4-SMD, J-LeadSupplier Device Package4-PLCCSize / Dimension1.60mm L x 1.50mm WHeight (Max)1.20mm	Lens Transparency	-
Voltage - Forward (Vf) (Typ) Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount 570nm Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package Size / Dimension Height (Max) 1.20mm	Millicandela Rating	30mcd
Current - Test 5mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 570nm Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Lens Style/Size	Square with Flat Top
Viewing Angle120°Mounting TypeSurface MountWavelength - Dominant570nmWavelength - Peak-Features-Package / Case4-SMD, J-LeadSupplier Device Package4-PLCCSize / Dimension1.60mm L x 1.50mm WHeight (Max)1.20mm	Voltage - Forward (Vf) (Typ)	1.9V
Mounting Type Surface Mount Wavelength - Dominant S70nm Wavelength - Peak Features Package / Case 4-SMD, J-Lead Supplier Device Package Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Current - Test	5mA
Wavelength - Dominant Wavelength - Peak - Features - Package / Case Supplier Device Package 4-SMD, J-Lead 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Viewing Angle	120°
Wavelength - Peak - Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Mounting Type	Surface Mount
Features - Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Wavelength - Dominant	570nm
Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Wavelength - Peak	-
Supplier Device Package 4-PLCC Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Features	-
Size / Dimension 1.60mm L x 1.50mm W Height (Max) 1.20mm	Package / Case	4-SMD, J-Lead
Height (Max) 1.20mm	Supplier Device Package	4-PLCC
	Size / Dimension	1.60mm L x 1.50mm W
Report errors?	Height (Max)	1.20mm
		Report errors?

QBLP1515-AG5 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

QBLP1515-AG5 Payment Methods



















QBLP1515-AG5 Shipping Methods













If you have any question about QBLP1515-AG5, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com