


# QBLP612-AG

## **QBLP612-AG Information**





**Request a Quote** 

**Certified Quality** 

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# **QBLP612-AG Specifications**

AnufacturerOr Brightek (QTB)CategoryOptoelectronicsHackage2-SMD, No LeadPackageQBLP612ColorYellow-GreenConfiguration-ConfigurationColorlessLens TransparencyClearMillicandela Rating40mcdVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Peak-Features-Package / Case2.SMD, No LeadSupplier Device Package0802Size / Dimension1.0mm L x 1.00mm WHeight (Max)0.60mm		
CategoryOptoelectronicsLED Indication - DiscretePackage2-SMD, No LeadSeriesQBLP612ColorYellow-GreenConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant-Features-Package / Case0802Surplier Device Package0802Size / Dimension1.00mm L x 1.00mm WHeight (Max)0.60mm	Manufacturer Part Number	QBLP612-AG
LED Indication - DiscretePackage2-SMD, No LeadSeriesQBLP612ColorYellow-GreenConfiguration-Lens ColorColorlessLens ColorColorlessMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmStrace Kount, Right Angle-Package / Case2.SMD, No LeadSupplier Device Package0802Size / Dimension1.00mm L x 1.00mm WHeight (Max)0.60mm	Manufacturer	QT Brightek (QTB)
Package2-SMD, No LeadSeriesQBLP612ColorYellow-GreenConfiguration-Lens ColorColorlessLens ColorClearMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle570mWavelength - Dominant-Style/Size-Package / Case-Package / Case0802Supplier Device Package6002Size / Dimension3.10mm Lx 1.00mm WHeight (Max)0.60mm	Category	Optoelectronics
SeriesQBLP612ColorYellow-GreenConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Package / Case2.SMD, No LeadSurplier Device Package802Size / Dimension2.0mm L x 1.00mm WHeight (Max)0.60mm		LED Indication - Discrete
ColorYellow-GreenConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant-Varage / Case-Package / Case0802Supplier Device Package0.60mm	Package	2-SMD, No Lead
Configuration-ConfigurationColorlessLens ColorClearMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAVoltagn Aggle50°Mounting TypeSurface Mount, Right AngleWavelength - Dominant-Vavelength - Peak-Features-Package / CaseSuSD, No LeadSupplier Device Package2.00mL x 1.00mm WBight (Max)6.00mm	Series	QBLP612
Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmLens Style/Size2VVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm W	Color	Yellow-Green
Lens TransparencyClearMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmLens Style/Size2VVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2.SMD, No LeadSupplier Device Package0802Size / Dimension0.60mm	Configuration	-
Millicandela Rating40mcdMillicandela Rating40mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Lens Color	Colorless
Lens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Millicandela Rating	40mcd
Current - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Lens Style/Size	Rectangle with Domed Top, 1.70mm x 0.60mm
Viewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Voltage - Forward (Vf) (Typ)	2V
Mounting TypeSurface Mount, Right AngleWavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Current - Test	20mA
Wavelength - Dominant570nmWavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Viewing Angle	150°
Wavelength - Peak-Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Mounting Type	Surface Mount, Right Angle
Features-Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Wavelength - Dominant	570nm
Package / Case2-SMD, No LeadSupplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Wavelength - Peak	-
Supplier Device Package0802Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Features	-
Size / Dimension2.10mm L x 1.00mm WHeight (Max)0.60mm	Package / Case	2-SMD, No Lead
Height (Max) 0.60mm	Supplier Device Package	0802
	Size / Dimension	2.10mm L x 1.00mm W
Report errors?	Height (Max)	0.60mm
		Report error

### **QBLP612-AG Guarantees**



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### **QBLP612-AG Payment Methods**



## **QBLP612-AG Shipping Methods**



If you have any question about QBLP612-AG, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com