

QBLP615-IB

QBLP615-IB Information

	Part Number	QBLP615-IB
www.net@net.com	Manufacturer	QT Brightek (QTB)
	Category	Optoelectronics LED Indication - Discrete
	Description	LED BLUE CLEAR 2SMD R/A
	Package	2-SMD, 1206
-		For the pricing/inventory/lead time, please contact us
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



QBLP615-IB Specifications

AnufacturerQT Brightek (QTB)CategoryOptoelectronicsLED Indication - DiscretePackage2-SMD, 1206SeriesQBLP615ColorBlueConfiguration-Lens ColorColorlessMillicandela Rating70mcdVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle50°Mounting TypeSurface Mount, Right AngleWavelength - Peak-Features-Package / Case2.SMD, 1206Surplier Device Package1206Size / Dimension3.20mm L x 1.40mm W			
CategoryOptoelectronicsLED Indication - DiscretePackage2-SMD, 1206SeriesQBLP615ColorBlueConfiguration-Lens ColorColorlessLens ColorColorlessMillicandela Rating70mcdVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Poak-Features-Package / Case2.SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Manufacturer Part Number	QBLP615-IB	
LED Indication - DiscretePackage2-SMD, 1206SeriesQBLP615ColorBlueConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Surplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Manufacturer	QT Brightek (QTB)	
Package2-SMD, 1206SeriesQBLP615ColorBlueConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAWounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Package / Case2.SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Category	Optoelectronics	
NoteQBLP615ColorBlueConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Peak-Features-Package / Case2.SMD, 1206Supplier Device Package3.20mm L x 1.40mm W		LED Indication - Discrete	
ColorBlueConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Surplier Device Package3.20mm L x 1.40mm W	Package	2-SMD, 1206	
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAVoluting Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Supplier Device Package3.20mm L x 1.40mm W	Series	QBLP615	
Lens ColorColorlessLens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Supplier Device Package3.20mm L x 1.40mm W	Color	Blue	
Lens TransparencyClearMillicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Supplier Device Package3.20mm L x 1.40mm W	Configuration	-	
Millicandela Rating70mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mACurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Lens Color	Colorless	
Lens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2.SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Lens Transparency	Clear	
Voltage - Forward (Vf) (Typ)3.1VCurrent - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Millicandela Rating	70mcd	
Current - Test20mAViewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Lens Style/Size	Rectangle with Domed Top, 2.00mm x 1.00mm	
Viewing Angle150°Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Voltage - Forward (Vf) (Typ)	3.1V	
Mounting TypeSurface Mount, Right AngleWavelength - Dominant460nmWavelength - Peak-Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Current - Test	20mA	
Wavelength - Dominant460nmWavelength - Peak-Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Viewing Angle	150°	
Wavelength - Peak-Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Mounting Type	Surface Mount, Right Angle	
Features-Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Wavelength - Dominant	460nm	
Package / Case2-SMD, 1206Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Wavelength - Peak	-	
Supplier Device Package1206Size / Dimension3.20mm L x 1.40mm W	Features	-	
Size / Dimension 3.20mm L x 1.40mm W	Package / Case	2-SMD, 1206	
	Supplier Device Package	1206	
Height (Max) 1 00mm	Size / Dimension	3.20mm L x 1.40mm W	
Telgit (Wax)	Height (Max)	1.00mm	
Report errors?		Report errors?	

QBLP615-IB Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

QBLP615-IB Payment Methods Image: WIRE transfer PayPal Image: Compare transfer Image: Compare transfer<

If you have any question about QBLP615-IB, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com