


QBLP674-IWM-WW

QBLP674-IWM-WW Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



QBLP674-IWM-WW Specifications

Manufacturer Part NumberQBLP674-IWM-WWManufacturerQT Brightk (QTB)CategoryOptoelectronicsLED Indication - DiscretePackage2-SMD, Flat LeadSeries-ColorWhiteConfiguration-Lens Color-Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant00KWavelength - Peak-Peatres-Package / Case2-SMD, Flat LeadSupplier Device Package2-SMD, Flat LeadSize / Dimension3.200mcdHeight (Max)0.85mm		
CategoryOptoelectronicsLED Indication - DiscretePackage2-SMD, Flat LeadSeries-ColorWhiteConfiguration-Lens Color-Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Manufacturer Part Number	QBLP674-IWM-WW
LED Indication - DiscretePackage2-SMD, Flat LeadSeries-ColorWhiteConfiguration-Lens Color-Lens Transparency-Millcandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Manufacturer	QT Brightek (QTB)
Package2-SMD, Flat LeadSeries-ColorWhiteConfiguration-Lens Color-Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KVavelength - Peak-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension3.80mm L x 1.40mm W	Category	Optoelectronics
Series-ColorWhiteConfiguration-Lens Color-Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension3.80mm L x 1.40mm W		LED Indication - Discrete
ColorWhiteConfiguration-Lens Color-Lens Color-Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Poninnant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Package	2-SMD, Flat Lead
Configuration-Lens Color-Lens Transparency-Millicandela Rating3200ncdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2.SMD, Flat LeadSupplier Device Package2.PLCCSize / Dimension3.80mn L x 1.40mn W	Series	-
Lens Color-Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Color	White
Lens Transparency-Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Configuration	-
Millicandela Rating3200mcdLens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension3.80mm L x 1.40mm W	Lens Color	-
Lens Style/SizeOval with Flat TopVoltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Lens Transparency	-
Voltage - Forward (Vf) (Typ)3.2VCurrent - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Millicandela Rating	3200mcd
Current - Test30mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Lens Style/Size	Oval with Flat Top
Viewing Angle120°Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Voltage - Forward (Vf) (Typ)	3.2V
Mounting TypeSurface MountWavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Current - Test	30mA
Wavelength - Dominant3000KWavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Viewing Angle	120°
Wavelength - Peak-Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Mounting Type	Surface Mount
Features-Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Wavelength - Dominant	3000K
Package / Case2-SMD, Flat LeadSupplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Wavelength - Peak	-
Supplier Device Package2-PLCCSize / Dimension2.80mm L x 1.40mm W	Features	-
Size / Dimension 2.80mm L x 1.40mm W	Package / Case	2-SMD, Flat Lead
	Supplier Device Package	2-PLCC
Height (Max) 0.85mm	Size / Dimension	2.80mm L x 1.40mm W
	Height (Max)	0.85mm
Report err		Report errors?

QBLP674-IWM-WW Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DISCOVER

QBLP674-IWM-WW Payment Methods



QBLP674-IWM-WW Shipping Methods



If you have any question about QBLP674-IWM-WW, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com