



QTLP670C7TR Information

Heisener.com

QTLP670C7TR Part Number

Manufacturer Fairchild/ON Semiconductor

Category Optoelectronics

LED Indication - Discrete

LED RED CLEAR 2PLCC SMD **Description**

2-PLCC **Package**

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









QTLP670C7TR Specifications

Manufacturer Part Number QTLP670C7TR Manufacturer Fairchild/ON Semiconductor Category Optoelectronics LED Indication - Discrete Package 2-PLCC Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm		
Category Optoelectronics LED Indication - Discrete Package 2-PLCC Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Manufacturer Part Number	QTLP670C7TR
Package 2-PLCC Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Manufacturer	Fairchild/ON Semiconductor
Package 2-PLCC Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Category	Optoelectronics
Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm		LED Indication - Discrete
Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Flat Top, 2.40mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Package	2-PLCC
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdLens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdLens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Color	Red
Lens TransparencyClearMillicandela Rating40mcdLens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Configuration	-
Millicandela Rating40mcdLens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Lens Color	Colorless
Lens Style/SizeRound with Flat Top, 2.40mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package Size / Dimension Height (Max) 1.9V 20mA 1.9V 20mA 1.9V 20mA 1.9V Surface Mount 645nm 645nm 625nm 630nm 2-PLCC 3.20mm L x 2.80mm W 2.10mm	Millicandela Rating	40mcd
Current - Test20mAViewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Lens Style/Size	Round with Flat Top, 2.40mm
Viewing Angle120°Mounting TypeSurface MountWavelength - Dominant645nmWavelength - Peak660nmFeatures-Package / Case2-PLCCSupplier Device Package2-PLCCSize / Dimension3.20mm L x 2.80mm WHeight (Max)2.10mm	Voltage - Forward (Vf) (Typ)	1.9V
Mounting Type Surface Mount Wavelength - Dominant 645nm Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Current - Test	20mA
Wavelength - Dominant Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Viewing Angle	120°
Wavelength - Peak 660nm Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Mounting Type	Surface Mount
Features - Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Wavelength - Dominant	645nm
Package / Case 2-PLCC Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Wavelength - Peak	660nm
Supplier Device Package 2-PLCC Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Features	-
Size / Dimension 3.20mm L x 2.80mm W Height (Max) 2.10mm	Package / Case	2-PLCC
Height (Max) 2.10mm	Supplier Device Package	2-PLCC
	Size / Dimension	3.20mm L x 2.80mm W
	Height (Max)	2.10mm
Report errors?		Report errors?

QTLP670C7TR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

QTLP670C7TR Payment Methods



















QTLP670C7TR Shipping Methods













If you have any question about QTLP670C7TR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com