

R10-E1Y8-V72 Information



For Reference Only

Part Number R10-E1Y8-V72

Manufacturer TE Connectivity Potter & Brumfield Relays

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE 8PDT 3A 12V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









R10-E1Y8-V72 Specifications

Manufacturer Part NumberR10-E1Y8-V72ManufacturerTE Connectivity Potter & Brumfield RelaysCategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesR10Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current166.7mACoil Voltage12VDCContact Form8PDT (8 Form C)Contact Rating (Current)3ASwitching Voltage120VAC, 30VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time-Release Time-		
Category Relays Power Relays, Over 2 Amps Package - Series R10 Relay Type General Purpose Coil Type Non Latching Coil Current 166.7mA Coil Voltage 12VDC Contact Form 8PDT (8 Form C) Contact Rating (Current) 3A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) Operate Time -	Manufacturer Part Number	R10-E1Y8-V72
Package - Series R10 Relay Type General Purpose Coil Type Non Latching Coil Current 166.7mA Coil Voltage 12VDC Contact Form 8PDT (8 Form C) Contact Rating (Current) 3A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Manufacturer	TE Connectivity Potter & Brumfield Relays
Package - R10 Relay Type General Purpose Coil Type Non Latching Coil Current 166.7mA Coil Voltage 12VDC Contact Form 8PDT (8 Form C) Contact Rating (Current) 3A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Category	Relays
SeriesR10Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current166.7mACoil Voltage12VDCContact Form8PDT (8 Form C)Contact Rating (Current)3ASwitching Voltage120VAC, 30VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time-		Power Relays, Over 2 Amps
Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current166.7mACoil Voltage12VDCContact Form8PDT (8 Form C)Contact Rating (Current)3ASwitching Voltage120VAC, 30VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time-	Package	-
Coil TypeNon LatchingCoil Current166.7mACoil Voltage12VDCContact Form8PDT (8 Form C)Contact Rating (Current)3ASwitching Voltage120VAC, 30VDC - MaxTurn On Voltage (Max)9 VDCTurn Off Voltage (Min)-Operate Time-	Series	R10
Coil Current 166.7mA Coil Voltage 12VDC Contact Form 8PDT (8 Form C) Contact Rating (Current) 3A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Relay Type	General Purpose
Coil Voltage 12VDC Contact Form 8PDT (8 Form C) Contact Rating (Current) 3A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Coil Type	Non Latching
Contact Form 8PDT (8 Form C) Contact Rating (Current) 3A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Coil Current	166.7mA
Contact Rating (Current) Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) Operate Time -	Coil Voltage	12VDC
Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Contact Form	8PDT (8 Form C)
Turn On Voltage (Max) 9 VDC Turn Off Voltage (Min) - Operate Time -	Contact Rating (Current)	3A
Turn Off Voltage (Min) - Operate Time -	Switching Voltage	120VAC, 30VDC - Max
Operate Time -	Turn On Voltage (Max)	9 VDC
•	Turn Off Voltage (Min)	-
Release Time -	Operate Time	-
	Release Time	-
Features -	Features	-
Mounting Type Socketable	Mounting Type	Socketable
Termination Style Plug In	Termination Style	Plug In
Report errors?		Report errors?

R10-E1Y8-V72 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

R10-E1Y8-V72 Payment Methods





















R10-E1Y8-V72 Shipping Methods













If you have any question about R10-E1Y8-V72, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com