


RAVF162DJT270R

RAVF162DJT270R Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



RAVF162DJT270R Specifications

Manufacturer Part Number RAVF162DJT270R Manufacturer Stackpole Electronics Inc. Category Resistors Qackage Resistor Networks, Arrays Package 0606 (1616 Metric), Convex, Long Side Terminals Series RAVF Circuit Type Isolated Resistance (Ohms) 270 Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Operating Temperature e.5%°C > 155°C Applications - Applications - Surgae / Case 0606 (1616 Metric), Convex, Long Side Terminals Supplier Device Package - Supplications - Applications - Supplier Device Package 0606 (1616 Metric), Convex, Long Side Terminals Supplier Device Package - Size / Dimension 0.063° L x 0.063° W (1.60mm x 1.60mm) Height - Seated (Max) 0.026° (0.65mm)		
CategoryResistorsResistor Networks, ArraysPackage0606 (1616 Metric), Convex, Long Side TerminalsSeriesRAVFCircuit TypeIsolatedResistance (Ohms)270Tolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWOperating Temperature-55°CApplications-Aunning TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / DimensionMotofi T L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.26" (0.55mm)	Manufacturer Part Number	RAVF162DJT270R
IndianaResistor Networks, ArraysPackage0606 (1616 Metric), Convex, Long Side TerminalsSeriesRAVFCircuit TypeIsolatedResistance (Ohms)270Tolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CApplications-Nunting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Manufacturer	Stackpole Electronics Inc.
Package0606 (1616 Metric), Convex, Long Side TerminalsSeriesRAVFCircuit TypeIsolatedResistance (Ohms)270Tolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-Nunding TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Category	Resistors
SeriesRAVFCircuit TypeIsolatedResistance (Ohms)270Tolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CApplications.Package / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package.Size / Dimension0.026" (0.65mm)		Resistor Networks, Arrays
Circuit TypeIsolatedCircuit TypeIsolatedResistance (Ohms)270Tolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-Nounting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Package	0606 (1616 Metric), Convex, Long Side Terminals
Resistance (Ohms) 270 Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200pm/°C Operating Temperature -55°C ~ 155°C Applications - Mounting Type Surface Mount Poker Jenese 0606 (1616 Metric), Convex, Long Side Terminals Supplier Device Package - Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.026" (0.65mm)	Series	RAVF
Tolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case6006 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Circuit Type	Isolated
Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case6066 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Resistance (Ohms)	270
Number of Pins4Number of Pins62.5mWPower Per Element£200pm/°CTemperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case6006 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Tolerance	$\pm 5\%$
Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.26" (0.65mm)	Number of Resistors	2
Temperature Coefficient±200pm/°COperating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Number of Pins	4
Operating Temperature-55°C ~ 155°CApplications-Mounting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Power Per Element	62.5mW
Applications-Applications-Mounting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Temperature Coefficient	±200ppm/°C
Mounting TypeSurface MountPackage / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Operating Temperature	-55°C ~ 155°C
Package / Case0606 (1616 Metric), Convex, Long Side TerminalsSupplier Device Package-Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.026" (0.65mm)	Applications	-
Supplier Device Package - Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.026" (0.65mm)	Mounting Type	Surface Mount
Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.026" (0.65mm)	Package / Case	0606 (1616 Metric), Convex, Long Side Terminals
Height - Seated (Max) 0.026" (0.65mm)	Supplier Device Package	-
	Size / Dimension	0.063" L x 0.063" W (1.60mm x 1.60mm)
Report errors?	Height - Seated (Max)	0.026" (0.65mm)
		Report errors?

RAVF162DJT270R Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

RAVF162DJT270R Payment Methods



KAVE 102DJ 1270K Smpping Memous



If you have any question about RAVF162DJT270R, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com