



### **RJS 1.5SHORT Information**

Part Number RJS 1.5SHORT Manufacturer Bel Fuse Inc.

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE BRD MNT 1.5A 600VAC BEND

Package Radial Bend Cylinder

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **RJS 1.5SHORT Specifications**

Manufacturer Part Number         RJS 1.5SHORT           Manufacturer         Bel Fuse Inc.           Category         Circuit Protection           Package         Radial Bend Cylinder           Series         RJS           Fuse Type         Board Mount           Current Rating         1.5A           Voltage Rating - AC         600V           Voltage Rating - DC         -           Response Time         Slow           Applications         Telecom           Features         -           Class         -           Approvals         CE, CSA, cURus           Operating Temperature         -55°C ~ 125°C           Breaking Capacity @ Rated Voltage         60A           Mounting Type         Through Hole           Package / Case         Radial Bend Cylinder           Size / Dimension         0.181" Dia x 0.760" L (4.60mm x 19.30mm)		
CategoryCircuit ProtectionBectrical, Specialty FusesPackageRadial Bend CylinderSeriesRJSFuse TypeBoard MountCurrent Rating1.5AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage60AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Manufacturer Part Number	RJS 1.5SHORT
PackageRadial Bend CylinderSeriesRJSFuse TypeBoard MountCurrent Rating1.5AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage60AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Manufacturer	Bel Fuse Inc.
PackageRadial Bend CylinderSeriesRJSFuse TypeBoard MountCurrent Rating1.5AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage60AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Category	Circuit Protection
SeriesRJSFuse TypeBoard MountCurrent Rating1.5AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage60AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)		Electrical, Specialty Fuses
Fuse TypeBoard MountCurrent Rating1.5AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage60AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Package	Radial Bend Cylinder
Current Rating  1.5A  Voltage Rating - AC  600V  Voltage Rating - DC  Response Time  Slow  Applications  Telecom  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Through Hole  Package / Case  Size / Dimension  1.5A  600V  C. CSA  600V  C. CSA  600V  C. CSA  600  C. CSA  600  C. CSA  60A  C. CSA  60A  C. CSA  60A  Radial Bend Cylinder  60A  Size / Dimension  0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Series	RJS
Voltage Rating - AC  Voltage Rating - DC  Response Time  Slow  Applications  Telecom  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Through Hole  Package / Case  Size / Dimension  600V  600A  6	Fuse Type	Board Mount
Voltage Rating - DC  Response Time Slow  Applications Telecom  Features - Class - Approvals CE, CSA, cURus Operating Temperature -55°C ~ 125°C  Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension  Slow  Telecom  CE, CSA  CE, CSA  CURus  -55°C ~ 125°C  Radial Bend Cylinder  Radial Bend Cylinder  Size / Dimension  O.181" Dia x 0.760" L (4.60mm x 19.30mm)	Current Rating	1.5A
Response Time  Applications  Telecom  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Through Hole  Package / Case  Radial Bend Cylinder  Size / Dimension  Slow  Slow  Telecom  CE, CSA, CURus  - OCE, CSA, cURus  - ON  Through Hole  Radial Bend Cylinder  O.181" Dia x 0.760" L (4.60mm x 19.30mm)	Voltage Rating - AC	600V
Applications Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension  Telecom  Ce, CSA, cURus - CE, CSA, cURus - 55°C ~ 125°C  60A Through Hole Through Hole Package / Case Radial Bend Cylinder  0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Voltage Rating - DC	-
Features - Class - CR, CSA, cURus Operating Temperature -55°C ~ 125°C Breaking Capacity @ Rated Voltage 60A Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Response Time	Slow
Class - Approvals CE, CSA, cURus Operating Temperature -55°C ~ 125°C Breaking Capacity @ Rated Voltage 60A Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Applications	Telecom
Approvals  CE, CSA, cURus  Operating Temperature  -55°C ~ 125°C  Breaking Capacity @ Rated Voltage  60A  Mounting Type  Through Hole  Package / Case  Radial Bend Cylinder  Size / Dimension  O.181" Dia x 0.760" L (4.60mm x 19.30mm)	Features	-
Operating Temperature  -55°C ~ 125°C  Breaking Capacity @ Rated Voltage  60A  Mounting Type  Through Hole  Package / Case  Radial Bend Cylinder  Size / Dimension  0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Class	-
Breaking Capacity @ Rated Voltage 60A  Mounting Type Through Hole  Package / Case Radial Bend Cylinder  Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Approvals	CE, CSA, cURus
Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Operating Temperature	-55°C ~ 125°C
Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Breaking Capacity @ Rated Voltage	60A
Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Mounting Type	Through Hole
	Package / Case	Radial Bend Cylinder
Report errors?	Size / Dimension	0.181" Dia x 0.760" L (4.60mm x 19.30mm)
		Report errors?

#### **RJS 1.5SHORT Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **RJS 1.5SHORT Payment Methods**





















## **RJS 1.5SHORT Shipping Methods**













If you have any question about RJS 1.5SHORT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com