



RJS 4-R SHORT Information

Heisener.com

Part Number RJS 4-R SHORT Manufacturer Bel Fuse Inc.
Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE BRD MNT 4A 600VAC RAD BEND

Package Radial Bend Cylinder

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









RJS 4-R SHORT Specifications

Manufacturer Part NumberRJS 4-R SHORTManufacturerBel Fuse Inc.CategoryCircuit Protection Electrical, Specialty FusesPackageRadial Bend CylinderSeriesRJSFuse TypeBoard MountCurrent Rating4AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage100AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)Report errors?		
Category Circuit Protection Electrical, Specialty Fuses Radial Bend Cylinder Series RJS Fuse Type Board Mount Current Rating 4A Voltage Rating - AC 600V Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals CE, CSA, cURus Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension Circuit Protection Electrical, Specialty Fuses Radial Bend Cylinder Size / Dimension Circuit Protection Electrical, Specialty Fuses Radial Bend Cylinder Size / Dimension	Manufacturer Part Number	RJS 4-R SHORT
PackageRadial Bend CylinderSeriesRJSFuse TypeBoard MountCurrent Rating4AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage100AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Manufacturer	Bel Fuse Inc.
PackageRadial Bend CylinderSeriesRJSFuse TypeBoard MountCurrent Rating4AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage100AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Category	Circuit Protection
SeriesRJSFuse TypeBoard MountCurrent Rating4AVoltage Rating - AC600VVoltage Rating - DC-Response TimeSlowApplicationsTelecomFeatures-Class-ApprovalsCE, CSA, cURusOperating Temperature-55°C ~ 125°CBreaking Capacity @ Rated Voltage100AMounting TypeThrough HolePackage / CaseRadial Bend CylinderSize / Dimension0.181" Dia x 0.760" L (4.60mm x 19.30mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 4A Voltage Rating - AC 600V Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Siden Board Mount 4A 600V	Package	Radial Bend Cylinder
Current Rating Voltage Rating - AC Voltage Rating - DC Response Time Applications Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension 4A 600V - Clov Features - Clov Telecom Telecom CE, CSA, cURus - CE, CSA, cURus - CSOC Through Hole Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Series	RJS
Voltage Rating - AC Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension 600V -	Fuse Type	Board Mount
Voltage Rating - DC Response Time Slow Applications Telecom Features - Class - Approvals CE, CSA, cURus Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension Slow Cecomorphic Comorphic CE, CSA, cURus -55°C ~ 125°C Through Hole Package / Case Radial Bend Cylinder Size / Dimension O.181" Dia x 0.760" L (4.60mm x 19.30mm)	Current Rating	4A
Response Time Applications Telecom Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension Slow Telecom - CE, CSA, cURus - CE, CSA, cURus - 55°C ~ 125°C Through Hole Radial Bend Cylinder 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Voltage Rating - AC	600V
Applications Features Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Size / Dimension Telecom Through Through Through Through Through Hole Radial Bend Cylinder O.181" Dia x 0.760" L (4.60mm x 19.30mm)	Voltage Rating - DC	-
Features Class - Approvals CE, CSA, cURus Operating Temperature -55°C ~ 125°C Breaking Capacity @ Rated Voltage Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension - CE, CSA, cURus -55°C ~ 125°C Through Hole 100A Through Hole Radial Bend Cylinder 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Response Time	Slow
Class Approvals CE, CSA, cURus Operating Temperature -55°C ~ 125°C Breaking Capacity @ Rated Voltage 100A Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension -55°C ~ 125°C Through Hole One Company to the	Applications	Telecom
Approvals CE, CSA, cURus Operating Temperature -55°C ~ 125°C Breaking Capacity @ Rated Voltage 100A Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension O.181" Dia x 0.760" L (4.60mm x 19.30mm)	Features	-
Operating Temperature -55°C ~ 125°C Breaking Capacity @ Rated Voltage 100A Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Class	-
Breaking Capacity @ Rated Voltage 100A Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Approvals	CE, CSA, cURus
Mounting Type Through Hole Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Operating Temperature	-55°C ~ 125°C
Package / Case Radial Bend Cylinder Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Breaking Capacity @ Rated Voltage	100A
Size / Dimension 0.181" Dia x 0.760" L (4.60mm x 19.30mm)	Mounting Type	Through Hole
	Package / Case	Radial Bend Cylinder
Report errors?	Size / Dimension	0.181" Dia x 0.760" L (4.60mm x 19.30mm)
		Report errors?

RJS 4-R SHORT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

RJS 4-R SHORT Payment Methods





















RJS 4-R SHORT Shipping Methods













If you have any question about RJS 4-R SHORT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com