

## RL2006-13.3K-140-D1

#### RL2006-13.3K-140-D1 Information



#### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### RL2006-13.3K-140-D1 Specifications

Manufacturer Part Number   RL2006-13.3K-140-D1     Manufacturer   Amphenol Advanced Sensors     Category   Sensors, Transducers     Temperature Sensors - NTC Thermistors   Temperature Sensors - NTC Thermistors     Package   Disc, 5.6mm Dia x 3.8mm W     Series   RL2006     Resistance in Ohms @ 25°C   25k     Resistance Tolerance   ±10%     B Value Tolerance   -     B/50   -     B/50   -     B25/50   -     B25/100   -     Power - Max   -     Length - Lead Wire   1.50" (38.0mm)     Mounting Type		
CategorySensors, TransducersTemperature Sensors - NTC ThermistorsPackageDisc, 5.6mm Dia x 3.8mm WSeriesRL2006Resistance in Ohms @ 25°C25kResistance Tolerance10%B Value Tolerance-B0/500.B25/50-B25/50-B25/506B25/506B25/50-B25/506B25/50-B26/50-B26/50-B26/50-B26/50-B26/50-B26/50-B26/50-B26/50-B26/50-B26/50	Manufacturer Part Number	RL2006-13.3K-140-D1
Temperature Sensors - NTC ThermistorsPackageDisc, 5.6mm Dia x 3.8mm WSeriesRL2006Resistance in Ohms @ 25°C25kResistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/50-B25/504615KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeDisc, 5.6mm Dia x 3.8mm W	Manufacturer	Amphenol Advanced Sensors
PackageDisc, 5.6mm Dia x 3.8mm WSeriesRL2006Resistance in Ohms @ 25°C25kResistance Tolerance±10%B Value Tolerance-B Value Tolerance-B0/50-B25/50-B25/756B25/854615KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50° (38.00mm)Mounting TypeDisc, 5.6mm Dia x 3.8mm W	Category	Sensors, Transducers
Series   RL2006     Resistance in Ohms @ 25°C   25k     Resistance Tolerance   ±10%     B Value Tolerance   -     B Value Tolerance   -     B0/50   -     B25/50   -     B25/50   -     B25/55   -     B25/85   4615K     B25/100   -     Operating Temperature   -     Power - Max   -     Length - Lead Wire   1.50° (38.00mm)     Mounting Type   Through Hole     Package / Case   Disc, 5.6mm Dia x 3.8mm W		Temperature Sensors - NTC Thermistors
Resistance in Ohms @ 25°C25kResistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/55-B25/554615KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50° (38.00mm)Mounting TypeDisc, 5.6mm Dia x 3.8mm W	Package	Disc, 5.6mm Dia x 3.8mm W
Resistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/55-B25/854615KB25/100-Operating Temperature-Power - Max-Length - Lead Wire1.50°C ~ 150°CMounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	Series	RL2006
B Value Tolerance-B Value Tolerance-B 0/50-B 25/50-B 25/756B 25/854615KB 25/100-Operating Temperature-Power - Max-Length - Lead Wire1.50°C ~ 150°CMounting TypeFhrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	Resistance in Ohms @ 25°C	25k
B0/50-B25/50-B25/75-B25/854615KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50° (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	Resistance Tolerance	$\pm 10\%$
B25/50-B25/75-B25/854615KB25/100-Operating Temperature-Power - Max-Length - Lead Wire1.50°C ~ 150°CMounting TypeFhrough HolePackage / CaseDisc, 5.6mm Diax 3.8mm W	B Value Tolerance	-
B25/75-B25/854615KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	B0/50	-
B25/85 4615K   B25/100 -   Operating Temperature -50°C ~ 150°C   Power - Max -   Length - Lead Wire 1.50° (38.00mm)   Mounting Type Through Hole   Package / Case Disc, 5.6mm Dia x 3.8mm W	B25/50	-
B25/100 -   Operating Temperature -50°C ~ 150°C   Power - Max -   Length - Lead Wire 1.50" (38.00mm)   Mounting Type Through Hole   Package / Case Disc, 5.6mm Diax 3.8mm W	B25/75	-
Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	B25/85	4615K
Power - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	B25/100	-
Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	Operating Temperature	-50°C ~ 150°C
Mounting TypeThrough HolePackage / CaseDisc, 5.6mm Dia x 3.8mm W	Power - Max	-
Package / CaseDisc, 5.6mm Dia x 3.8mm W	Length - Lead Wire	1.50" (38.00mm)
-	Mounting Type	Through Hole
Report errors?	Package / Case	Disc, 5.6mm Dia x 3.8mm W
		Report errors?

#### RL2006-13.3K-140-D1 Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DISCOVER

#### RL2006-13.3K-140-D1 Payment Methods



#### RL2006-13.3K-140-D1 Shipping Methods



If you have any question about RL2006-13.3K-140-D1, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com