

RL300513.1K-155-D1

RL300513.1K-155-D1 Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



RL300513.1K-155-D1 Specifications

Manufacturer Part Number RL300513.1K-155-D1 Manufacturer Amphenol Advanced Sensors Category Sensors, Transducers Temperature Sensors - NTC Thermistors Temperature Sensors - NTC Thermistors Package Disc, 8.1mm Dia x 3.6mm W Series RL3005 Resistance in Ohms @ 25°C 20 Resistance Tolerance ±10% B Value Tolerance - B/50 - B25/50 - B25/50 - B25/50 - B25/100 - Operating Temperature - Power - Max - Length - Lead Wire 1.50" (38.00mm) Mounting Type Through Hole Package / Case Disc, 8.1mm Dia x 3.6mm W		
CategorySensors, TransducersTemperature Sensors - NTC ThermistorsPackageDisc, 8.1mm Dia x 3.6mm WSeriesRL3005Resistance in Ohms @ 25°C20Resistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/50-B25/504783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	Manufacturer Part Number	RL300513.1K-155-D1
Temperature Sensors - NTC ThermistorsPackageDisc, 8.1mm Dia x 3.6mm WSeriesRL3005Resistance in Ohms @ 25°C20Resistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/50-B25/504783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeDisc, 8.1mm Dia x 3.6mm W	Manufacturer	Amphenol Advanced Sensors
PackageDisc, 8.1mm Dia x 3.6mm WSeriesRL3005Resistance in Ohms @ 25°C20Resistance Tolerance±10%B Value Tolerance-B Value Tolerance-B0/50-B25/50-B25/75-B25/854783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50° (38.00mm)Mounting TypeDisc, 8.1mm Dia x 3.6mm W	Category	Sensors, Transducers
Series RL3005 Resistance in Ohms @ 25°C 20 Resistance Tolerance ±10% B Value Tolerance - B Value Tolerance - B0/50 - B25/50 - B25/50 - B25/55 - B25/85 4783K B25/100 - Operating Temperature -S0°C ~ 150°C Power - Max - Length - Lead Wire 1.50° (38.00mm) Mounting Type Through Hole Package / Case Disc, 8.1mm Dia x 3.6mm W		Temperature Sensors - NTC Thermistors
Resistance in Ohms @ 25°C20Resistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/50-B25/754783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50° (38.00mm)Mounting TypeDisc, 8.1nm Dia x 3.6mm W	Package	Disc, 8.1mm Dia x 3.6mm W
Resistance Tolerance±10%B Value Tolerance-B0/50-B25/50-B25/55-B25/854783KB25/100-Operating Temperature-Power - Max-Length - Lead Wire1.50°C ~ 150°CMounting TypeDisc, 81nm Dia x 3.6mm W	Series	RL3005
B Value Tolerance-B 0/50-B 0/50-B 25/50-B 25/75-B 25/854783KB 25/100-Operating Temperature-Power - Max-Length - Lead Wire1.50°C ~ 150°CMounting TypeFhrough HolePackage / CaseDisc, 8.1nm Dia x 3.6mm W	Resistance in Ohms @ 25°C	20
B0/50-B25/50-B25/75-B25/854783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	Resistance Tolerance	±10%
B25/50-B25/75-B25/854783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Diax 3.6mm W	B Value Tolerance	-
B25/75-B25/854783KB25/100-Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50° (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	B0/50	-
B25/85 4783K B25/100 - Operating Temperature -50°C ~ 150°C Power - Max - Length - Lead Wire 1.50" (38.00mm) Mounting Type Through Hole Package / Case Disc, 8.1mm Diax 3.6mm W	B25/50	-
B25/100 - Operating Temperature -50°C ~ 150°C Power - Max - Length - Lead Wire 1.50" (38.00mm) Mounting Type Through Hole Package / Case Disc, 8.1mm Diax 3.6mm W	B25/75	-
Operating Temperature-50°C ~ 150°CPower - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	B25/85	4783K
Power - Max-Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	B25/100	-
Length - Lead Wire1.50" (38.00mm)Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	Operating Temperature	-50°C ~ 150°C
Mounting TypeThrough HolePackage / CaseDisc, 8.1mm Dia x 3.6mm W	Power - Max	-
Package / CaseDisc, 8.1mm Dia x 3.6mm W	Length - Lead Wire	1.50" (38.00mm)
	Mounting Type	Through Hole
Report errors?	Package / Case	Disc, 8.1mm Dia x 3.6mm W
		Report errors?

RL300513.1K-155-D1 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DISCOVER

RL300513.1K-155-D1 Payment Methods



RL300513.1K-155-D1 Shipping Methods



If you have any question about RL300513.1K-155-D1, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com