



RM12BPE-5PH(71) Information

Part Number RM12BPE-5PH(71) Manufacturer Hirose Electric Co Ltd Category Connectors, Interconnects

Circular Connectors

CONN PLUG 5POS W/PIN INSERT **Description**

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









RM12BPE-5PH(71) Specifications

Manufacturer Part NumberRM12BPE-5PH(71)ManufacturerHirose Electric Co LtdCategoryConnectors, InterconnectsPackage-SeriesRMConnector TypePlug, Male PinsNumber of Positions5Shell Size - Insert12Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated350VACCurrent Rating5A		
Category Circular Connectors Circular Connectors Package - Series RM Connector Type Plug, Male Pins Number of Positions 5 Shell Size - Insert 12 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated Series - Connectors, Interconnects Circular Connectors RM Connectors Interconnects Circular Connectors - Shell Material, Finish Silver - Voltage - Rated - Solvac	Manufacturer Part Number	RM12BPE-5PH(71)
Circular Connectors Package Series RM Connector Type Plug, Male Pins Number of Positions Shell Size - Insert 12 Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Voltage - Rated Contact Series Series RM FRM FRM Free Hanging (In-Line) Solder Free Hanging (In-Line) Solder Free Hanging (In-Line) Solder Solder Silver Solder Sol	Manufacturer	Hirose Electric Co Ltd
Package - Series RM Connector Type Plug, Male Pins Number of Positions 5 Shell Size - Insert 12 Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated 350VAC	Category	Connectors, Interconnects
SeriesRMConnector TypePlug, Male PinsNumber of Positions5Shell Size - Insert12Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeBayonet LockOrientationKeyedIngress Protection-Shell Material, FinishBrass and Zinc, Nickel PlatedContact FinishSilverFeatures-Voltage - Rated350VAC		Circular Connectors
Connector Type Plug, Male Pins Number of Positions 5 Shell Size - Insert 12 Shell Size, MIL	Package	-
Number of Positions Shell Size - Insert 12 Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features Voltage - Rated 5 Shell Material Solder Fastening Type Bayonet Lock Keyed	Series	RM
Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection Shell Material, Finish Contact Finish Silver Features Voltage - Rated 12 Automatical Size - Insert Free Hanging (In-Line) Solder Bayonet Lock Keyed Silver - Shell Material, Finish Silver - Voltage - Rated	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated 350VAC	Number of Positions	5
Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated 350VAC	Shell Size - Insert	12
Termination Solder Fastening Type Bayonet Lock Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated 350VAC	Shell Size, MIL	-
Fastening Type Orientation Keyed Ingress Protection Shell Material, Finish Contact Finish Silver Features Voltage - Rated Bayonet Lock Keyed Step - Step Step Silver - Solver - Silver - Solver - Solver - Solver - Solver - Solver - Solver	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated 350VAC	Termination	Solder
Ingress Protection - Shell Material, Finish Brass and Zinc, Nickel Plated Contact Finish Silver Features - Voltage - Rated 350VAC	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Silver Features - Voltage - Rated Shell Material, Finish Silver - 350VAC	Orientation	Keyed
Contact Finish Silver Features - Voltage - Rated 350VAC	Ingress Protection	-
Features - Voltage - Rated 350VAC	Shell Material, Finish	Brass and Zinc, Nickel Plated
Voltage - Rated 350VAC	Contact Finish	Silver
	Features	-
Current Rating 5A	Voltage - Rated	350VAC
	Current Rating	5A
Report errors?		Report errors?

RM12BPE-5PH(71) Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

RM12BPE-5PH(71) Payment Methods



















RM12BPE-5PH(71) Shipping Methods













If you have any question about RM12BPE-5PH(71), please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com