



# **RMM22DRMH Information**

Heisener.com

Part Number RMM22DRMH

ManufacturerSullins Connector SolutionsCategoryConnectors, Interconnects

Card Edge Connectors - Edgeboard Connectors

**Description** CONN EDGE DUAL FMALE 44POS 0.156

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









### **RMM22DRMH Specifications**

Manufacturer Part Number       RMM22DRMH         Manufacturer       Sullins Connector Solutions         Category       Connectors, Interconnects         Package       -         Series       -         Card Type       Non Specified - Dual Edge         Gender       Female         Number of Positions/Bay/Row       22         Number of Positions       44         Card Thickness       0.062" (1.57mm)         Number of Rows       2         Pitch       0.156" (3.96mm)         Features       -         Mounting Type       Through Hole         Termination       Wire Wrap         Contact Material       Phosphor Bronze         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Kiviivi22DKiviii Specifications	
Category Card Edge Connectors, Interconnects Card Edge Connectors - Edgeboard Connectors  Package - Series - Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 22 Number of Positions 44 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.156" (3.96mm) Features - Mounting Type Through Hole Termination Wire Wrap Contact Material Phosphor Bronze Contact Finish Gold Contact Finish Thickness 30µin (0.76µm) Contact Type Loop Bellows Color Green Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Manufacturer Part Number	RMM22DRMH
Card Edge Connectors - Edgeboard Connectors  Package - Series - Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 22 Number of Positions 44 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.156" (3.96mm) Features - Mounting Type Through Hole Termination Wire Wrap Contact Material Phosphor Bronze Contact Finish Gold Contact Finish Thickness 30µin (0.76µm) Contact Type Loop Bellows Color Green Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Manufacturer	Sullins Connector Solutions
Package - Series - Card Type Non Specified - Dual Edge Gender Female Number of Positions/Bay/Row 22 Number of Positions 44 Card Thickness 0.062" (1.57mm) Number of Rows 2 Pitch 0.156" (3.96mm) Features - Mounting Type Through Hole Termination Wire Wrap Contact Material Phosphor Bronze Contact Finish Thickness 30µin (0.76µm) Contact Type Loop Bellows Color Green Flange Feature Tom Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Category	Connectors, Interconnects
Series       -         Card Type       Non Specified - Dual Edge         Gender       Female         Number of Positions/Bay/Row       22         Number of Positions       44         Card Thickness       0.062" (1.57mm)         Number of Rows       2         Pitch       0.156" (3.96mm)         Features       -         Mounting Type       Through Hole         Termination       Wire Wrap         Contact Material       Phosphor Bronze         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia		Card Edge Connectors - Edgeboard Connectors
Card Type	Package	-
Gender Female  Number of Positions/Bay/Row 22  Number of Positions 44  Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.156" (3.96mm)  Features	Series	-
Number of Positions       24         Card Thickness       0.062" (1.57mm)         Number of Rows       2         Pitch       0.156" (3.96mm)         Features       -         Mounting Type       Through Hole         Termination       Wire Wrap         Contact Material       Phosphor Bronze         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Card Type	Non Specified - Dual Edge
Number of Positions       44         Card Thickness       0.062" (1.57mm)         Number of Rows       2         Pitch       0.156" (3.96mm)         Features       -         Mounting Type       Through Hole         Termination       Wire Wrap         Contact Material       Phosphor Bronze         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Gender	Female
Card Thickness 0.062" (1.57mm)  Number of Rows 2  Pitch 0.156" (3.96mm)  Features	Number of Positions/Bay/Row	22
Number of Rows       2         Pitch       0.156" (3.96mm)         Features       -         Mounting Type       Through Hole         Termination       Wire Wrap         Contact Material       Phosphor Bronze         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Number of Positions	44
Pitch       0.156" (3.96mm)         Features       -         Mounting Type       Through Hole         Termination       Wire Wrap         Contact Material       Phosphor Bronze         Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Card Thickness	0.062" (1.57mm)
Features  Mounting Type Through Hole Termination Wire Wrap  Contact Material Phosphor Bronze Contact Finish Gold Contact Finish Thickness 30μin (0.76μm) Contact Type Loop Bellows Color Green Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Number of Rows	2
Mounting TypeThrough HoleTerminationWire WrapContact MaterialPhosphor BronzeContact FinishGoldContact Finish Thickness30μin (0.76μm)Contact TypeLoop BellowsColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Pitch	0.156" (3.96mm)
Termination Wire Wrap  Contact Material Phosphor Bronze  Contact Finish Gold  Contact Finish Thickness 30μin (0.76μm)  Contact Type Loop Bellows  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Features	-
Contact MaterialPhosphor BronzeContact FinishGoldContact Finish Thickness30μin (0.76μm)Contact TypeLoop BellowsColorGreenFlange FeatureTop Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Mounting Type	Through Hole
Contact Finish       Gold         Contact Finish Thickness       30μin (0.76μm)         Contact Type       Loop Bellows         Color       Green         Flange Feature       Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Termination	Wire Wrap
Contact Finish Thickness 30μin (0.76μm)  Contact Type Loop Bellows  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Contact Material	Phosphor Bronze
Contact Type Loop Bellows  Color Green  Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Contact Finish	Gold
Color Green Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Contact Finish Thickness	30μin (0.76μm)
Flange Feature Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia	Contact Type	Loop Bellows
	Color	Green
	Flange Feature	Top Mount Opening, Unthreaded, 0.125" (3.18mm) Dia
Operating Temperature $-65^{\circ}\text{C} \sim 125^{\circ}\text{C}$	Operating Temperature	-65°C ~ 125°C
Report errors		Report errors?

#### **RMM22DRMH Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **RMM22DRMH Payment Methods**



















## **RMM22DRMH Shipping Methods**













If you have any question about RMM22DRMH, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com