

RSCDRRM020NDSE3

RSCDRRM020NDSE3 Information

Part Number RSCDRRM020NDSE3

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

Description SENSOR PRESS DIFF 20" H2O 3.3V D

8-DIP (0.510", 12.95mm), Dual Ports, Same Side **Package**

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









RSCDRRM020NDSE3 Specifications

Manufacturer Part Number	RSCDRRM020NDSE3
Manufacturer	Honeywell Sensing and Productivity Solutions
Category	Sensors, Transducers
	Pressure Sensors, Transducers
Package	8-DIP (0.510", 12.95mm), Dual Ports, Same Side
Series	TruStability? RSC
Pressure Type	Differential
Operating Pressure	±0.72 PSI (±4.96 kPa)
Output Type	SPI
Output	24 b
Accuracy	±0.1%
Voltage - Supply	3 V ~ 3.6 V
Port Size	Male - 0.08" (1.93mm) Tube, Dual
Port Style	Barbed
Features	Temperature Compensated
Termination Style	PC Pin
Maximum Pressure	±6.32 PSI (±43.6 kPa)
Operating Temperature	-40°C ~ 85°C
Package / Case	8-DIP (0.510", 12.95mm), Dual Ports, Same Side
Supplier Device Package	8-DIP
	Report errors?

RSCDRRM020NDSE3 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

RSCDRRM020NDSE3 Payment Methods



















RSCDRRM020NDSE3 Shipping Methods













If you have any question about RSCDRRM020NDSE3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com