

RSL-4000-50 Information

Part Number RSL-4000-50

Manufacturer Riedon Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 0.0000125 OHM 0.25%

Package Rectangular Case - Open

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









RSL-4000-50 Specifications

Manufacturer Part Number RSL-4000-50 Manufacturer Riedon Category Resistors Chassis Mount Resistors Package Rectangular Case - Open Series RSL Resistance 12.5 μOhms Tolerance ±0.25% Power (Watts) - Composition Metal Element Temperature Coefficient ±15ppm/°C Operating Temperature 30°C ~ 70°C Features Current Sense Coating, Housing Type - Mounting Feature Flanges Size / Dimension 12.625" L x 4.000" W (320.68mm x 101.60mm)
CategoryResistorsPackageRectangular Case - OpenSeriesRSLResistance12.5 μOhmsTolerance±0.25%Power (Watts)-CompositionMetal ElementTemperature Coefficient±15ppm/°COperating Temperature30°C ~ 70°CFeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
Chassis Mount ResistorsPackageRectangular Case - OpenSeriesRSLResistance12.5 μOhmsTolerance±0.25%Power (Watts)-CompositionMetal ElementTemperature Coefficient±15ppm/°COperating Temperature30°C ~ 70°CFeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
PackageRectangular Case - OpenSeriesRSLResistance $12.5 \mu \text{Ohms}$ Tolerance $\pm 0.25\%$ Power (Watts)-CompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $30^{\circ}\text{C} \sim 70^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
SeriesRSLResistance $12.5 \mu \text{Ohms}$ Tolerance $\pm 0.25\%$ Power (Watts)-CompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $30^{\circ}\text{C} \sim 70^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
Resistance12.5 μOhmsTolerance $\pm 0.25\%$ Power (Watts)-CompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $30^{\circ}\text{C} \sim 70^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
Tolerance $\pm 0.25\%$ Power (Watts) - Composition Metal Element Temperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $30^{\circ}\text{C} \sim 70^{\circ}\text{C}$ Features Current Sense Coating, Housing Type - Mounting Feature Flanges
Power (Watts) Composition Metal Element Temperature Coefficient Departing Temperature Operating Temperature Current Sense Coating, Housing Type Mounting Feature Flanges
CompositionMetal ElementTemperature Coefficient $\pm 15 ppm/^{\circ}C$ Operating Temperature $30^{\circ}C \sim 70^{\circ}C$ FeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
Temperature Coefficient $\pm 15 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $30^{\circ}\text{C} \sim 70^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
Operating Temperature30°C ~ 70°CFeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
Features Current Sense Coating, Housing Type - Mounting Feature Flanges
Coating, Housing Type - Mounting Feature Flanges
Mounting Feature Flanges
Size / Dimension 12 625" L x 4 000" W (320 68mm x 101 60mm)
12.025 D.A. 1.000 W (320.00mm)
Height - Seated (Max) 3.030" (76.96mm)
Lead Style 4-Terminal
Package / Case Rectangular Case - Open
Failure Rate -
Report errors?

RSL-4000-50 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

RSL-4000-50 Payment Methods



















RSL-4000-50 Shipping Methods













If you have any question about RSL-4000-50, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com