



RSMF1FT73R2 Information



For Reference Only

Part Number RSMF1FT73R2

Manufacturer Stackpole Electronics Inc.

Category Resistors

Through Hole Resistors

Description RES 73.2 OHM 1W 1% AXIAL

Package Axia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









RSMF1FT73R2 Specifications

Manufacturer Part NumberRSMF1FT73R2ManufacturerStackpole Electronics Inc.CategoryResistorsThrough Hole ResistorsPackageAxialSeriesRSMFResistance73.2 OhmsTolerance±1%Power (Watts)1WCompositionMetal Oxide FilmFeaturesFlame Proof, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 200°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.126" Dia x 0.354" L (3.20mm x 9.00mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	•	
Category Resistors Through Hole Resistors Package Axial Series RSMF Resistance 73.2 Ohms Tolerance ±1% Power (Watts) IW Composition Metal Oxide Film Features Flame Proof, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) Number of Terminations 2	Manufacturer Part Number	RSMF1FT73R2
Through Hole Resistors Axial Series RSMF Resistance 73.2 Ohms Tolerance ±1% Power (Watts) IW Composition Metal Oxide Film Features Flame Proof, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Size / Dimension Height - Seated (Max) Number of Terminations Axial	Manufacturer	Stackpole Electronics Inc.
Package Axial Series RSMF Resistance 73.2 Ohms Tolerance ±1% Power (Watts) 1W Composition Metal Oxide Film Features Flame Proof, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) Number of Terminations 2	Category	Resistors
SeriesRSMFResistance73.2 OhmsTolerance±1%Power (Watts)1WCompositionMetal Oxide FilmFeaturesFlame Proof, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 200°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.126" Dia x 0.354" L (3.20mm x 9.00mm)Height - Seated (Max)-Number of Terminations2		Through Hole Resistors
Resistance73.2 OhmsTolerance±1%Power (Watts)1WCompositionMetal Oxide FilmFeaturesFlame Proof, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 200°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.126" Dia x 0.354" L (3.20mm x 9.00mm)Height - Seated (Max)-Number of Terminations2	Package	Axial
Tolerance ±1% Power (Watts) 1W Composition Metal Oxide Film Features Flame Proof, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) Number of Terminations 2	Series	RSMF
Power (Watts) Composition Metal Oxide Film Features Flame Proof, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) Number of Terminations 2	Resistance	73.2 Ohms
Composition Metal Oxide Film Features Flame Proof, Safety ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) Number of Terminations 2	Tolerance	±1%
Features Flame Proof, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) Number of Terminations 2	Power (Watts)	1W
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) - Number of Terminations 2	Composition	Metal Oxide Film
Operating Temperature -55°C ~ 200°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) - Number of Terminations 2	Features	Flame Proof, Safety
Package / Case Axial Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) - Number of Terminations 2	Temperature Coefficient	±200ppm/°C
Supplier Device Package Axial Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) - Number of Terminations 2	Operating Temperature	-55°C ~ 200°C
Size / Dimension 0.126" Dia x 0.354" L (3.20mm x 9.00mm) Height - Seated (Max) - Number of Terminations 2	Package / Case	Axial
Height - Seated (Max) - Number of Terminations 2	Supplier Device Package	Axial
Number of Terminations 2	Size / Dimension	0.126" Dia x 0.354" L (3.20mm x 9.00mm)
	Height - Seated (Max)	-
Failure Rate -	Number of Terminations	2
	Failure Rate	-
Report errors?		Report errors?

RSMF1FT73R2 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

RSMF1FT73R2 Payment Methods



















RSMF1FT73R2 Shipping Methods













If you have any question about RSMF1FT73R2, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com