

RSTA 1.6 BULK, SHORT LEAD

RSTA 1.6 BULK, SHORT LEAD Information



Part Number	RSTA 1.6 BULK, SHORT LEAD	
Manufacturer	Bel Fuse Inc.	
Category	Circuit Protection Fuses	
Description	FUSE 1.6A 250/277V RADIAL	
Package	Radial, Box	
	For the pricing/inventory/lead time, please contact us	
	Website: https://www.heisener.com E-mail: salesdept@heisener.com	



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



RSTA 1.6 BULK, SHORT LEAD Specifications

CategoryCircuit ProtectionFusesPackageRadial, BoxSeriesRSTAFuse TypeBoard Mount (Cartridge Style Excluded)Current Rating1.6AVoltage Rating - AC250VSoltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting Type100ABreaking Capacity @ Rated Voltage100AApprovals-Operating Temperature-Stor C + 125°C-55°C + 125°C			
Category Circuit Protection Fuses Fuses Package Radial, Box Series RSTA Fuse Type Board Mount (Cartridge Style Excluded) Current Rating 1.6A Voltage Rating - AC 250V Voltage Rating - DC 63V Response Time Slow Package / Case Radial, Box Mounting Type Through Hole Breaking Capacity @ Rated Voltage 100A Approvals - Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Manufacturer Part Number	RSTA 1.6 BULK, SHORT LEAD	
FusesPackageRadial, BoxSeriesRSTAFuse TypeBoard Mount (Cartridge Style Excluded)Current Rating1.6AVoltage Rating - AC250VVoltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting TypeThrough HoleBreaking Capacity @ Rated Voltage100AApprovals-Operating Temperature-55°C ~ 125°CColor-Size / Dimension0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Manufacturer	Bel Fuse Inc.	
PackageRadial, BoxPackageRSTAStreisBoard Mount (Cartridge Style Excluded)Fuse TypeBoard Mount (Cartridge Style Excluded)Current Rating1.6AVoltage Rating - AC250VVoltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting Type10ABreaking Capacity @ Rated Voltage100AApprovals-Operating Temperature.5°C ~ 125°CColor.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Category	Circuit Protection	
Series RSTA Fuse Type Board Mount (Cartridge Style Excluded) Current Rating 1.6A Voltage Rating - AC 250V Voltage Rating - DC 63V Response Time Slow Mounting Type Radial, Box Mounting Type 100A Package / Case 100A Mounting Type 6 Operating Capacity @ Rated Voltage 16 Approvals - Operating Temperature - Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)		Fuses	
Fuse TypeBoard Mount (Cartridge Style Excluded)Fuse Type1.6AVoltage Rating - AC250VVoltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting TypeThrough HoleBreaking Capacity @ Rated Voltage100AAlting I2t16Approvals-Operating Temperature.55°C ~ 125°CColor.Size / Dimension0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Package	Radial, Box	
Current Rating1.6AVoltage Rating - AC250VVoltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting TypeThrough HoleBreaking Capacity @ Rated Voltage100AMelting I2t16Approvals-Operating Temperature-55°C ~ 125°CColor-Size / Dimension0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Series	RSTA	
Voltage Rating - AC250VVoltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting TypeThrough HoleBreaking Capacity @ Rated Voltage100AMelting I2t16Approvals-Operating Temperature-55°C ~ 125°CColor-Size / Dimension0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Fuse Type	Board Mount (Cartridge Style Excluded)	
Voltage Rating - DC63VResponse TimeSlowPackage / CaseRadial, BoxMounting TypeThrough HoleBreaking Capacity @ Rated Voltage100AMelting I2t16Approvals-Operating Temperature-55°C ~ 125°CColor-Size / Dimension0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Current Rating	1.6A	
Response Time Slow Package / Case Radial, Box Mounting Type Through Hole Breaking Capacity @ Rated Voltage 100A Melting I2t 16 Approvals - Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Voltage Rating - AC	250V	
Package / CaseRadial, BoxMounting TypeThrough HoleBreaking Capacity @ Rated Voltage100AMelting I2t16Approvals-Operating Temperature-55°C ~ 125°CColor-Size / Dimension0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Voltage Rating - DC	63V	
Mounting Type Through Hole Breaking Capacity @ Rated Voltage 100A Melting I2t 16 Approvals - Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Response Time	Slow	
Breaking Capacity @ Rated Voltage 100A Melting I2t 16 Approvals - Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Package / Case	Radial, Box	
Melting I2t 16 Approvals - Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Mounting Type	Through Hole	
Approvals - Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Breaking Capacity @ Rated Voltage	100A	
Operating Temperature -55°C ~ 125°C Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Melting I2t	16	
Color - Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Approvals	-	
Size / Dimension 0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	Operating Temperature	-55°C ~ 125°C	
	Color	-	
Report errors?	Size / Dimension	0.329" L x 0.157" W x 0.307" H (8.35mm x 4.00mm x 7.80mm)	
			Report errors?

RSTA 1.6 BULK, SHORT LEAD Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

RSTA 1.6 BULK, SHORT LEAD Payment Methods WIRE Transfer PayPai PayPai

If you have any question about RSTA 1.6 BULK, SHORT LEAD, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com