

S-1155B21-U5T1U

S-1155B21-U5T1U Information

www.heisener.com	 S-1155B21-U5T1U SII Semiconductor Corporation Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear IC REG LINEAR 500MA SOT89-5 SOT-89-5/6 For the pricing/inventory/lead time, please contact us	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

E-mail: salesdept@heisener.com

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



S-1155B21-U5T1U Specifications

Manufacturer Part Number S-1155B21-U5T1U Manufacturer SII Semiconductor Corporation Category Integrated Circuits (ICs) Parkage SOT-89-5/6 Series - Output Configuration - Output Type - Number of Regulators 1 Voltage - Output (Max) - Voltage - Output (Max) - Voltage - Output (Max) - Current - Output SOT-MacA Current - Output SOT-MacA PSRR - Control Features - Portection Features - Mounting Type - Package / Case Soural-Case Mounting Type -		
Category Integrated Circuits (ICS) PMIC - Voltage Regulators - Linear Package SOT-89-5/6 Series - Output Configuration - Output Type - Number of Regulators 1 Voltage - Input (Max) - Voltage - Output (Min/Fixed) - Voltage Output (Max) - Voltage Dropout (Max) - Current - Output SOTMA Current - Output - Current - Supply (Max) - PSRR - Portection Features - Operating Temperature - Mounting Type Sufface Mount Package / Case SUT-89-5/6 Supplier Device Package SUT-89-5/6	Manufacturer Part Number	S-1155B21-U5T1U
Purce - Voltage Regulators - LinearPackageSOT-89-5/6Series-Output Configuration-Output Type-Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Min/Fixed)-Voltage Output (Max)-Voltage Dutput (Max)-Voltage Dutput (Max)-Voltage Dutput (Max)-Current - Output500mACurrent - Output-Current - Quiescent (Iq)-Current Supply (Max)-PSRR-Control Features-Protection Features-Mounting TypeSurface MountMounting TypeSUT-89-5/6Supplier Device PackageSOT-89-5/6	Manufacturer	SII Semiconductor Corporation
PackageSOT-89-5/6Series-Output Configuration-Output Type-Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage Output (Max)-Voltage Dutput (Max)-Voltage Dutput (Max)-Voltage Dutput (Max)-Voltage Dutput (Max)-Voltage Dutput (Max)-Current - Output500mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSUT-89-5/6Supplier Device PackageSOT-89-5/6	Category	Integrated Circuits (ICs)
Series - Series - Output Configuration - Output Type - Output Type - Number of Regulators 1 Voltage - Input (Max) - Voltage - Output (Min/Fixed) - Voltage - Output (Max) - Voltage - Output (Max) - Voltage Dropout (Max) - Current - Output 500mA Current - Output - Current - Supply (Max) - Current - Supply (Max) - PSRR - Protection Features - Operating Temperature - Mounting Type Surface Mount Package / Case SOT-89-5/6		PMIC - Voltage Regulators - Linear
Output Configuration.Output Type.Number of Regulators1Voltage - Input (Max).Voltage - Output (Min/Fixed).Voltage - Output (Max).Voltage Dropout (Max).Current - OutputS00mACurrent - Quiescent (Iq).Current - Supply (Max).Potection Features.Protection Features.Operating Temperature40°C ~ 85°CMounting TypeSOT-89-5/6Supplier Device PackageSOT-89-5/6	Package	SOT-89-5/6
Output Type-Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output500mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Potection Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSUT-89-5/6Supplier Device PackageSUT-89-5/6	Series	-
Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output500mACurrent - Output (Max)-Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSufface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Output Configuration	-
Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output500mACurrent - Output-Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Portection Features-Protection Features-Operating Temperature-Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Output Type	-
Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output500mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSUT-89-5/6Supplier Device PackageSOT-89-5/6	Number of Regulators	1
Voltage Output (Max)-Voltage Dropout (Max)-Current - Output500mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-Mounting TypeSUT-895/GPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Voltage - Input (Max)	-
Voltage Dropout (Max)-Current - Output500mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Voltage - Output (Min/Fixed)	-
Current - Output500mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Voltage - Output (Max)	-
Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Voltage Dropout (Max)	-
Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Current - Output	500mA
PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Current - Quiescent (Iq)	-
Control Features-Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Current - Supply (Max)	-
Protection Features-Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	PSRR	-
Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Control Features	-
Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Protection Features	-
Package / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Operating Temperature	-40°C ~ 85°C
Supplier Device Package SOT-89-5	Mounting Type	Surface Mount
	Package / Case	SOT-89-5/6
Report errors	Supplier Device Package	SOT-89-5
Report errors		Report errors?

S-1155B21-U5T1U Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

DISCOVER

S-1155B21-U5T1U Payment Methods



S-1155B21-U5T1U Shipping Methods



If you have any question about S-1155B21-U5T1U, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com