

S-13A1B34-U5T1U3

S-13A1B34-U5T1U3 Information

www.helsener.com	 S-13A1B34-U5T1U3 SII Semiconductor Corporation Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear IC REG LINEAR 1A SOT89-5 SOT-89-5/6 For the pricing/inventory/lead time, please contact us	
For Reference Only	Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



S-13A1B34-U5T1U3 Specifications

Manufacturer Part Number S-13A 1B34-U5T1U3 Manufacturer SII Semiconductor Corporation Category Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear PMIC - Voltage Regulators - Linear Package SOT-89-5/6 Scries - Output Configuration - Output Type - Voltage Input (Max) - Voltage - Input (Max) - Voltage Doupt (Min/Fixed) - Voltage Doupt (Max) - Current - Output - Voltage Dropout (Max) - Current - Quiescent (Iq) - Current - Supply (Max) - PSRR - Control Features - Protection Features - Operating Temperature - Mounting Type Surface Mount Package / Case SOT-89-5/6 Supplier Device Package SOT-89-5/6		
Actegory Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear Package SOT-89-5/6 Series - Output Configuration - Output Type - Number of Regulators 1 Voltage - Input (Max) - Voltage - Output (Min/Fixed) - Voltage - Output (Max) - Current - Output - Current - Output - Current - Supply (Max) - SPRR - Portection Features - Operating Temperature - Mounting Type Surface Mount Package / Case SOT-89-5/6 Supplier Device Package SOT-89-5/6	Manufacturer Part Number	S-13A1B34-U5T1U3
PMC - Voltage Regulators - LinearPackageSOT-89-5/6Series-Output Configuration-Output Type-Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage Output (Min/Fixed)-Voltage Doupt (Max)-Voltage Dropout (Max)-Current - OutputIACurrent - Quiescent (q)-Current - Supply (Max)-PSRR-Portection Features-Protection Features-Outputing Temperature-Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Manufacturer	SII Semiconductor Corporation
PackageSOT-89-5/6Series-Output Configuration-Output Type-Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage - Output (Max)-Current - Output-Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Portection Features-Mounting TypeSurface MountPackage / CaseSOT-89-5/6Surplier Device PackageSOT-89-5/6	Category	Integrated Circuits (ICs)
Series - Series - Output Configuration - Output Type - Output Type - Number of Regulators 1 Voltage - Input (Max) - Voltage - Output (Min/Fixed) - Voltage - Output (Max) - Voltage - Output (Max) - Voltage Dropout (Max) - Current - Output - Current - Output - Current - Supply (Max) - PSRR - Control Features - Protection Features - Operating Temperature - Mounting Type Sufface Mount Package / Case SUF8-5/6 Supplier Device Package SUF8-5/6		PMIC - Voltage Regulators - Linear
Output Configuration-Output Type-Output Type-Number of Regulators1Voltage - Input (Max)-Voltage - Output (Max)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output (Max)-Current - Supply (Max)-Current - Supply (Max)-Portection Features-Portection Features-Operating Temperature-Mouting Type-Pokage / CaseSUT-89-5/6Supplier Device PackageSUT-89-5/6	Package	SOT-89-5/6
Output Type-Number of Regulators1Number of Regulators-Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - OutputIACurrent - Output-Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Potection Features-Protection Features-Output Type-Mounting Type-Package / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Series	-
Number of Regulators1Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - Output1ACurrent - Output (Max)-Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSUT-89-5/6Supplier Device PackageSUT-89-5/6	Output Configuration	-
Voltage - Input (Max)-Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - OutputIACurrent - Output-Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Portection Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSUT-89-5/6Supplier Device PackageSOT-89-5/6	Output Type	-
Voltage - Output (Min/Fixed)-Voltage - Output (Max)-Voltage Dropout (Max)-Current - OutputIACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Porter Ontor Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Potage / CaseSUT-89-5/6Supplier Device PackageSOT-89-5/6	Number of Regulators	1
Voltage Output (Max)-Voltage Dropout (Max)-Current - OutputIACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Potection Features-Operating Temperature-Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Voltage - Input (Max)	-
Voltage Dropout (Max)-Current - Output1ACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Voltage - Output (Min/Fixed)	-
Current - OutputIACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Voltage - Output (Max)	-
Current - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/9	Voltage Dropout (Max)	-
Current - Supply (Max) - PSRR - Control Features - Protection Features - Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case SOT-89-5/6 Supplier Device Package SOT-89-5/6	Current - Output	1A
PSRR-Control Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Current - Quiescent (Iq)	-
Control Features-Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	Current - Supply (Max)	-
Protection Features-Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5/6	PSRR	-
Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Control Features	-
Mounting TypeSurface MountPackage / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Protection Features	-
Package / CaseSOT-89-5/6Supplier Device PackageSOT-89-5	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package SOT-89-5	Mounting Type	Surface Mount
	Package / Case	SOT-89-5/6
Report errors?	Supplier Device Package	SOT-89-5
		Report errors?

S-13A1B34-U5T1U3 Guarantees



Quality Guarantees


We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

S-13A1B34-U5T1U3 Payment Methods



If you have any question about S-13A1B34-U5T1U3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com