



### **SA101A151JAC Information**



For Reference Only

Part Number SA101A151JAC
Manufacturer AVX Corporation

**Category** Capacitors

**Ceramic Capacitors** 

**Description** CAP CER 150PF 100V NP0 AXIAL

Package Axia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **SA101A151JAC Specifications**

Manufacturer Part Number         SA101A151JAC           Manufacturer         AVX Corporation           Category         Capacitors           Package         Axial           Series         SpinGuard? SA           Capacitance         150pF           Tolerance         ±5%           Voltage - Rated         100V           Temperature Coefficient         C0G, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.100" Dia x 0.170" L (2.54mm x 4.32mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Spacing         -           Lead Style         -		
Category         Capacitors           Package         Axial           Series         SpinGuard? SA           Capacitance         150pF           Tolerance         ±5%           Voltage - Rated         100V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.100" Dia x 0.170" L (2.54mm x 4.32mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Manufacturer Part Number	SA101A151JAC
Package         Axial           Series         SpinGuard? SA           Capacitance         150pF           Tolerance         ±5%           Voltage - Rated         100V           Temperature Coefficient         C0G, NP0           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.100" Dia x 0.170" L (2.54mm x 4.32mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Manufacturer	AVX Corporation
Package         Axial           Series         SpinGuard? SA           Capacitance         150pF           Tolerance         ±5%           Voltage - Rated         100V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.100" Dia x 0.170" L (2.54mm x 4.32mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Category	Capacitors
Series         SpinGuard? SA           Capacitance         150pF           Tolerance         ±5%           Voltage - Rated         100V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.100" Dia x 0.170" L (2.54mm x 4.32mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -		Ceramic Capacitors
Capacitance         150pF           Tolerance         ±5%           Voltage - Rated         100V           Temperature Coefficient         C0G, NP0           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.100" Dia x 0.170" L (2.54mm x 4.32mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Package	Axial
Tolerance ±5%  Voltage - Rated 100V  Temperature Coefficient C0G, NP0  Operating Temperature -55°C ~ 125°C  Features Ratings Applications General Purpose  Failure Rate Mounting Type Through Hole  Package / Case Axial  Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm)  Height - Seated (Max)  Thickness (Max)  Lead Spacing  Lead Style	Series	SpinGuard? SA
Voltage - Rated100 VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.100" Dia x 0.170" L (2.54mm x 4.32mm)Height - Seated (Max)-Thickness (Max)-Lead Spacing-Lead Style-	Capacitance	150pF
Temperature Coefficient Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing Lead Style - COG, NPO C	Tolerance	±5%
Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style -	Voltage - Rated	100V
Features - General Purpose - General Purpose - Through Hole - Axial Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm) - Thickness (Max) - Lead Spacing - General Size / Dimension - General Case - General Case - General Purpose - General Pur	Temperature Coefficient	COG, NPO
Ratings - General Purpose Failure Rate - Through Hole Package / Case Axial Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style - General Purpose	Operating Temperature	-55°C ~ 125°C
Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style -	Features	-
Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style -	Ratings	-
Mounting Type Through Hole  Package / Case Axial  Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm)  Height - Seated (Max) -  Thickness (Max) -  Lead Spacing -  Lead Style	Applications	General Purpose
Package / Case Axial Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style -	Failure Rate	-
Size / Dimension 0.100" Dia x 0.170" L (2.54mm x 4.32mm)  Height - Seated (Max) -  Thickness (Max) -  Lead Spacing -  Lead Style -	Mounting Type	Through Hole
Height - Seated (Max)  Thickness (Max)  Lead Spacing  Lead Style  -	Package / Case	Axial
Thickness (Max) - Lead Spacing - Lead Style -	Size / Dimension	0.100" Dia x 0.170" L (2.54mm x 4.32mm)
Lead Spacing - Lead Style -	Height - Seated (Max)	-
Lead Style -	Thickness (Max)	-
·	Lead Spacing	-
Report errors?	Lead Style	-
		Report errors?

#### **SA101A151JAC Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **SA101A151JAC Payment Methods**



















### **SA101A151JAC Shipping Methods**













If you have any question about SA101A151JAC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com