



SCC30AD2 Information

Heisener.com

Part Number SCC30AD2

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

Description SCC ABS 0 PSIA TO 30 PSIA

Package 6-DIP Module

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SCC30AD2 Specifications

Manufacturer Part NumberSCC30AD2ManufacturerHoneywell Sensing and Productivity SolutionsCategorySensors, TransducersPressure Sensors, TransducersPackage6-DIP ModuleSeriesSCCPressure TypeDifferentialOperating Pressure30 PSI (206.84 kPa)Output TypeWheatstone BridgeOutput60 mV ~ 150 mVAccuracy±0.5%	
Category Sensors, Transducers Pressure Sensors, Transducers Package 6-DIP Module Series SCC Pressure Type Differential Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 60 mV ~ 150 mV Accuracy ±0.5%	
Pressure Sensors, Transducers Package 6-DIP Module Series SCC Pressure Type Differential Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 60 mV ~ 150 mV Accuracy ±0.5%	
Package 6-DIP Module Series SCC Pressure Type Differential Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 60 mV ~ 150 mV Accuracy ±0.5%	
Series SCC Pressure Type Differential Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output 60 mV ~ 150 mV Accuracy ±0.5%	
Pressure TypeDifferentialOperating Pressure $30 \text{ PSI } (206.84 \text{ kPa})$ Output TypeWheatstone BridgeOutput $60 \text{ mV} \sim 150 \text{ mV}$ Accuracy $\pm 0.5\%$	
Operating Pressure 30 PSI (206.84 kPa) Output Type Wheatstone Bridge Output $60 \text{ mV} \sim 150 \text{ mV}$ Accuracy $\pm 0.5\%$	
Output Type Wheatstone Bridge Output $60 \text{ mV} \sim 150 \text{ mV}$ Accuracy $\pm 0.5\%$	
Output $60 \text{ mV} \sim 150 \text{ mV}$ Accuracy $\pm 0.5\%$	
Accuracy ±0.5%	
Voltage - Supply -	
Port Size Male - 0.11" (2.67mm) Tube	
Port Style Barbless	
Features Temperature Compensated	
Termination Style -	
Maximum Pressure 60 PSI (413.69 kPa)	
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	
Package / Case 6-DIP Module	
Supplier Device Package -	
Report of	errors?

SCC30AD2 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SCC30AD2 Payment Methods



















SCC30AD2 Shipping Methods













If you have any question about SCC30AD2, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com