

SDS-80J Information



For Reference Only

Part Number SDS-80J Manufacturer CUI Inc.

Category Connectors, Interconnects Circular Connectors

Description CONN DIN 8 PIN FEMALE PCB

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SDS-80J Specifications

Manufacturer Part Number Manufacturer CUI Inc. Category Connectors, Interconnects Circular Connectors Package - Series SDS Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert DIN Shell Size, MIL - Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT) Contact Finish Tin		
Category Connectors, Interconnects Circular Connectors Package - Series SDS Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert DIN Shell Size, MIL - Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT)	Manufacturer Part Number	SDS-80J
Circular Connectors Package - Series SDS Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert DIN Shell Size, MIL - Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Manufacturer	CUI Inc.
Package - Series SDS Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert DIN Shell Size, MIL - Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Category	Connectors, Interconnects
Series SDS Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert DIN Shell Size, MIL - Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT)		Circular Connectors
Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert DIN Shell Size, MIL - Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Package	-
Number of Positions Shell Size - Insert DIN Shell Size, MIL Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT)	Series	SDS
Shell Size - Insert Shell Size, MIL Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT)	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Through Hole, Right Angle Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT)	Number of Positions	8
Mounting Type Through Hole, Right Angle Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polybutylene Terephthalate (PBT)	Shell Size - Insert	DIN
Termination Solder Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Shell Size, MIL	-
Fastening Type Push-Pull Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Mounting Type	Through Hole, Right Angle
Orientation Keyed Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Termination	Solder
Ingress Protection - Shell Material, Finish Polybutylene Terephthalate (PBT)	Fastening Type	Push-Pull
Shell Material, Finish Polybutylene Terephthalate (PBT)	Orientation	Keyed
	Ingress Protection	-
Contact Finish Tin	Shell Material, Finish	Polybutylene Terephthalate (PBT)
	Contact Finish	Tin
Features Ground	Features	Ground
Voltage - Rated 100VAC, 24VDC	Voltage - Rated	100VAC, 24VDC
Current Rating 2A, 1A	Current Rating	2A, 1A
Report errors?		Report errors?

SDS-80J Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SDS-80J Payment Methods


































If you have any question about SDS-80J, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com