



SFR01MZPJ333 Information

Heisener.com

Part Number SFR01MZPJ333

Manufacturer Rohm Semiconductor

Category Resistors

Chip Resistor - Surface Mount

Description RES 33K OHM 5% 1/16W 0402

Package 0402 (1005 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SFR01MZPJ333 Specifications

Manufacturer Part Number SFR01MZPJ333 Manufacturer Rohm Semiconductor Category Resistors Chip Resistor - Surface Mount Package 0402 (1005 Metric) Series SFR Resistance 33 kOhms Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	•	
Category Resistors Chip Resistor - Surface Mount Package 0402 (1005 Metric) Series SFR Resistance 33 kOhms Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Manufacturer Part Number	SFR01MZPJ333
Chip Resistor - Surface Mount Package 0402 (1005 Metric) Series SFR Resistance 33 kOhms Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Manufacturer	Rohm Semiconductor
Package 0402 (1005 Metric) Series SFR Resistance 33 kOhms Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Category	Resistors
Series SFR Resistance 33 kOhms Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -		Chip Resistor - Surface Mount
Resistance 33 kOhms Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Package	0402 (1005 Metric)
Tolerance ±5% Power (Watts) 0.63W, 5/8W Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Series	SFR
Power (Watts) Composition Thick Film Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Resistance	33 kOhms
Composition Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Tolerance	±5%
Features Anti-Sulfur Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Power (Watts)	0.63W, 5/8W
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Composition	Thick Film
Operating Temperature -55°C ~ 155°C Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Features	Anti-Sulfur
Package / Case 0402 (1005 Metric) Supplier Device Package 0402 Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) 0.016" (0.40mm) Number of Terminations 2 Failure Rate -	Temperature Coefficient	±200ppm/°C
Supplier Device Package Size / Dimension 0.039" L x 0.022" W (1.00mm x 0.55mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Operating Temperature	-55°C ~ 155°C
Size / Dimension0.039" L x 0.022" W (1.00mm x 0.55mm)Height - Seated (Max)0.016" (0.40mm)Number of Terminations2Failure Rate-	Package / Case	0402 (1005 Metric)
Height - Seated (Max) Number of Terminations 2 Failure Rate -	Supplier Device Package	0402
Number of Terminations 2 Failure Rate -	Size / Dimension	0.039" L x 0.022" W (1.00mm x 0.55mm)
Failure Rate -	Height - Seated (Max)	0.016" (0.40mm)
	Number of Terminations	2
Report errors?	Failure Rate	-
		Report errors?

SFR01MZPJ333 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SFR01MZPJ333 Payment Methods



















SFR01MZPJ333 Shipping Methods













If you have any question about SFR01MZPJ333, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com