

# SFR2500006203JR500

### SFR2500006203JR500 Information



# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# SFR2500006203JR500 Specifications

ManufacturerVishay BC ComponentsCategoryResistorsThrough Hole ResistorsPackageAxialSeriesSFR25Resistance620 kOhmsTolerance5%Power (Watts)0.4WCompositionMetal FilmFeatures-Package / Case5%°C ~ 155°CPackage / CaseAxialSupplier Device Package0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max).		
CategoryResistorsPackageAxialPackageSFR25Resistance620 kOhmsTolerance±5%Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature>55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Manufacturer Part Number	SFR2500006203JR500
Through Hole ResistorsPackageAxialSeriesSFR25Resistance620 kOhmsTolerance±5%Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100ppm°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Diax 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Manufacturer	Vishay BC Components
PackageAxialSeriesSFR25Resistance620 kOhmsTolerance±5%Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Category	Resistors
SeriesSFR25Resistance620 kOhmsTolerance±5%Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-		Through Hole Resistors
Resistance620 kOhmsTolerance±5%Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Package	Axial
Tolerance±5%Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Series	SFR25
Power (Watts)0.4WCompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Resistance	620 kOhms
CompositionMetal FilmFeatures-Temperature Coefficient±100pm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Tolerance	±5%
Features-Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Power (Watts)	0.4W
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Composition	Metal Film
Operating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Features	-
Package / CaseAxialSupplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Temperature Coefficient	±100ppm/°C
Supplier Device Package-Size / Dimension0.098" Dia x 0.256" L (2.50mm x 6.50mm)Height - Seated (Max)-	Operating Temperature	-55°C ~ 155°C
Size / Dimension 0.098" Dia x 0.256" L (2.50mm x 6.50mm)   Height - Seated (Max) -	Package / Case	Axial
Height - Seated (Max) -	Supplier Device Package	-
	Size / Dimension	0.098" Dia x 0.256" L (2.50mm x 6.50mm)
Number of Terminations 2	Height - Seated (Max)	-
	Number of Terminations	2
Failure Rate -	Failure Rate	-
Report errors?		Report errors?

## SFR2500006203JR500 Guarantees



**Quality Guarantees** 

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### SFR2500006203JR500 Payment Methods



If you have any question about SFR2500006203JR500, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com