

SI4704-D62-GU

Request a Quote

SI4704-D62-GU Information

Annan Company	Part Number	SI4704-D62-GU
	Manufacturer	Silicon Labs
	Category	RF/IF and RFID RF Receivers
	Description	IC FM RADIO RECEIVER 24SSOP
	Package	24-SSOP (0.154", 3.90mm Width)
		For the pricing/inventory/lead time, please contact
For Reference Only		us
		Website: https://www.heisener.com
		E-mail: salesdept@heisener.com

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



SI4704-D62-GU Specifications

Manufacturer Part NumberSI4704-D62-GUManufacturerSilcion LabsCategoryRF/F and RFIDPackage24-SSOP (0.154", 3.90mm Width)Package-Series-Frequency-Packat (Max)-Data Rate (Max)Silcion 2ApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMennor Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply-Operating Temperature-Surface Size-Surface Size <th></th> <th></th>		
CategoryRF/IF and RFIDCategoryRF ReceiversPackage24-SSOP (0.154", 3.90mm Width)Series-Series-Frequency-Sensitivity-Data Rate (Max)-Modulation or ProtocolGeneral PurposeApplications-Data InterfacePCB, Surface MountMemory Size-FeaturesPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature2.0°C ~ 85°C	Manufacturer Part Number	SI4704-D62-GU
RF ReceiversPackage24-SSOP (0.154", 3.90mm Width)Series-Frequency-Sensitivity-Data Rate (Max)-Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V~5.5 VOperating Temperature-20°C ~ 85°C	Manufacturer	Silicon Labs
Package24-SSOP (0.154", 3.90mm Width)Series-Frequency-Frequency-Sensitivity-Data Rate (Max)-Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Features-Voltage - Supply2, 7 x ~ 5.5 YOperating Temperature-20°C ~ 85°C	Category	RF/IF and RFID
Series-Frequency-Sensitivity-Data Rate (Max)-Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C		RF Receivers
Frequency-Frequency-Sensitivity-Data Rate (Max)-Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Package	24-SSOP (0.154", 3.90mm Width)
Sensitivity-Data Rate (Max)-Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Series	-
Data Rate (Max)-Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Frequency	-
Modulation or ProtocolFMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Sensitivity	-
ApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Data Rate (Max)	-
Current - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Modulation or Protocol	FM
Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Applications	General Purpose
Memory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Current - Receiving	-
Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Data Interface	PCB, Surface Mount
Features-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-20°C ~ 85°C	Memory Size	-
Voltage - Supply $2.7 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-20^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Antenna Connector	PCB, Surface Mount
Operating Temperature-20°C ~ 85°C	Features	-
	Voltage - Supply	2.7 V ~ 5.5 V
	Operating Temperature	-20°C ~ 85°C
Package / Case 24-SSOP (0.154", 3.90mm Width)	Package / Case	24-SSOP (0.154", 3.90mm Width)
Supplier Device Package 24-SSOP	Supplier Device Package	24-SSOP
Report e		Report errors?

SI4704-D62-GU Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

SI4704-D62-GU Payment Methods



SI4704-D62-GU Shipping Methods



If you have any question about SI4704-D62-GU, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com