



SI4754-A10-AM Information



For Reference Only

Part NumberSI4754-A10-AMManufacturerSilicon LabsCategoryRF/IF and RFID

RF Receivers

Description IC CAR RADIO RX AM/FM 32QFN

Package 32-VFQFN Exposed Pad

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SI4754-A10-AM Specifications

Manufacturer \$\text{Silicon Labs}\$ Category RF/IF and RFID RF Receivers \$\text{PRECEIVERS}\$ Package \$\text{32-VFQFN Exposed Pad}\$ Series - Frequency \$\text{520kHz} \circ 1.71MHz, 64MHz} \circ 108MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving - Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)		
Category RF/IF and RFID RF Receivers Package 32-VFQFN Exposed Pad Series - Frequency 520kHz ~ 1.71MHz, 64MHz ~ 108MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving - Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Manufacturer Part Number	SI4754-A10-AM
RF Receivers Package 32-VFQFN Exposed Pad Series - Frequency 520kHz ~ 1.71MHz, 64MHz ~ 108MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving - Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Manufacturer	Silicon Labs
Package32-VFQFN Exposed PadSeries-Frequency520kHz ~ 1.71MHz, 64MHz ~ 108MHzSensitivity-Data Rate (Max)-Modulation or ProtocolAM, FMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-40°C ~ 85°CPackage / Case32-VFQFN Exposed PadSupplier Device Package32-QFN (5x5)	Category	RF/IF and RFID
Series-Frequency520kHz ~ 1.71MHz, 64MHz ~ 108MHzSensitivity-Data Rate (Max)-Modulation or ProtocolAM, FMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-40°C ~ 85°CPackage / Case32-VFQFN Exposed PadSupplier Device Package32-QFN (5x5)		RF Receivers
Frequency 520kHz ~ 1.71MHz, 64MHz ~ 108MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving - Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Package	32-VFQFN Exposed Pad
Sensitivity Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving - Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case Supplier Device Package 32-VFQFN Exposed Pad Supplier Device Package	Series	-
Data Rate (Max)-Modulation or ProtocolAM, FMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-40°C ~ 85°CPackage / Case32-VFQFN Exposed PadSupplier Device Package32-QFN (5x5)	Frequency	520kHz ~ 1.71MHz, 64MHz ~ 108MHz
Modulation or ProtocolAM, FMApplicationsGeneral PurposeCurrent - Receiving-Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-40°C ~ 85°CPackage / Case32-VFQFN Exposed PadSupplier Device Package32-QFN (5x5)	Sensitivity	-
Applications General Purpose Current - Receiving - Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Data Rate (Max)	-
Current - Receiving Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Modulation or Protocol	AM, FM
Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Applications	General Purpose
Memory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2.7 V ~ 5.5 VOperating Temperature-40°C ~ 85°CPackage / Case32-VFQFN Exposed PadSupplier Device Package32-QFN (5x5)	Current - Receiving	-
Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2.7 V ~ 5.5 V Operating Temperature -40°C ~ 85°C Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Data Interface	PCB, Surface Mount
Features - Voltage - Supply $2.7 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case $32\text{-VFQFN Exposed Pad}$ Supplier Device Package $32\text{-QFN }(5x5)$	Memory Size	-
Voltage - Supply $2.7 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Antenna Connector	PCB, Surface Mount
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Features	-
Package / Case 32-VFQFN Exposed Pad Supplier Device Package 32-QFN (5x5)	Voltage - Supply	2.7 V ~ 5.5 V
Supplier Device Package 32-QFN (5x5)	Operating Temperature	-40°C ~ 85°C
	Package / Case	32-VFQFN Exposed Pad
Report errors?	Supplier Device Package	32-QFN (5x5)
L.		Report errors?

SI4754-A10-AM Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SI4754-A10-AM Payment Methods



















SI4754-A10-AM Shipping Methods













If you have any question about SI4754-A10-AM, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com