



SI4844-B20-GUR Information



For Reference Only

Part Number SI4844-B20-GUR
Manufacturer Silicon Labs
Category RF/IF and RFID
RF Receivers

Description IC AM/FM RX DGTL RADIO 24SSOP **Package** 24-SSOP (0.154", 3.90mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SI4844-B20-GUR Specifications

Manufacturer Part Number \$I4844-B20-GUR Manufacturer Silicon Labs Category RF/IF and RFID RF Receivers RF Receivers Package 24-SSOP (0.154", 3.90mm Width) Series - Frequency 504kHz ~ 1.75MHz, 64MHz ~ 109MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP		
Category RF/IF and RFID RF Receivers Package 24-SSOP (0.154", 3.90mm Width) Series - Frequency 504kHz ~ 1.75MHz, 64MHz ~ 109MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Manufacturer Part Number	SI4844-B20-GUR
Package 24-SSOP (0.154", 3.90mm Width) Series - Frequency 504kHz ~ 1.75MHz, 64MHz ~ 109MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Manufacturer	Silicon Labs
Package 24-SSOP (0.154", 3.90mm Width) Series - Frequency 504kHz ~ 1.75MHz, 64MHz ~ 109MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Category	RF/IF and RFID
Series - Frequency 504kHz ~ 1.75MHz, 64MHz ~ 109MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP		RF Receivers
Frequency 504kHz ~ 1.75MHz, 64MHz ~ 109MHz Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Package	24-SSOP (0.154", 3.90mm Width)
Sensitivity Data Rate (Max) - Modulation or Protocol AM, FM Applications General Purpose Current - Receiving 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package	Series	-
Data Rate (Max)-Modulation or ProtocolAM, FMApplicationsGeneral PurposeCurrent - Receiving21.5mAData InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2 V ~ 3.6 VOperating Temperature-15°C ~ 85°CPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-SSOP	Frequency	504kHz ~ 1.75MHz, 64MHz ~ 109MHz
Modulation or ProtocolAM, FMApplicationsGeneral PurposeCurrent - Receiving21.5mAData InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2 V ~ 3.6 VOperating Temperature-15°C ~ 85°CPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-SSOP	Sensitivity	-
Applications General Purpose 21.5mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount PCB, Surface Mount PCB, Surface Mount Yoltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package	Data Rate (Max)	-
Current - Receiving Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package	Modulation or Protocol	AM, FM
Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Applications	General Purpose
Memory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply2 V ~ 3.6 VOperating Temperature-15°C ~ 85°CPackage / Case24-SSOP (0.154", 3.90mm Width)Supplier Device Package24-SSOP	Current - Receiving	21.5mA
Antenna Connector PCB, Surface Mount Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Data Interface	PCB, Surface Mount
Features - Voltage - Supply 2 V ~ 3.6 V Operating Temperature -15°C ~ 85°C Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Memory Size	-
Voltage - Supply $2 \text{ V} \sim 3.6 \text{ V}$ Operating Temperature $-15^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case 24-SSOP $(0.154^{\circ}, 3.90\text{mm Width})$ Supplier Device Package 24-SSOP	Antenna Connector	PCB, Surface Mount
Operating Temperature $-15^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Features	-
Package / Case 24-SSOP (0.154", 3.90mm Width) Supplier Device Package 24-SSOP	Voltage - Supply	2 V ~ 3.6 V
Supplier Device Package 24-SSOP	Operating Temperature	-15°C ~ 85°C
	Package / Case	24-SSOP (0.154", 3.90mm Width)
Report errors?	Supplier Device Package	24-SSOP
_		Report errors?

SI4844-B20-GUR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SI4844-B20-GUR Payment Methods



















SI4844-B20-GUR Shipping Methods













If you have any question about SI4844-B20-GUR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com