

# SI7430DP-T1-E3

#### SI7430DP-T1-E3 Information

| www.incisence.com  | <br>SI7430DP-T1-E3<br>Vishay Siliconix<br>Discrete Semiconductor Products<br>Transistors - FETs, MOSFETs - Single<br>MOSFET N-CH 150V 26A PPAK SO-8<br>PowerPAK? SO-8<br>For the pricing/inventory/lead time, please contact<br>us |                 |
|--------------------|--|-----------------|
| For Reference Only | Website: https://www.heisener.com<br>E-mail: salesdept@heisener.com  | Request a Quote |

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### SI7430DP-T1-E3 Specifications

| Manufacturer Part Number               | SI7430DP-T1-E3                       |
|--|--------------------------------------|
| Manufacturer                           | Vishay Siliconix                     |
| Category                               | Discrete Semiconductor Products      |
|  | Transistors - FETs, MOSFETs - Single |
| Package                                | PowerPAK? SO-8                       |
| Series                                 | -                                    |
| FET Type                               | N-Channel                            |
| Technology                             | MOSFET (Metal Oxide)                 |
| Drain to Source Voltage (Vdss)         | 150V                                 |
| Current - Continuous Drain (Id) @ 25°C | 26A (Tc)                             |
| Drive Voltage (Max Rds On, Min Rds On) | 8V, 10V                              |
| Vgs(th) (Max) @ Id                     | 4.5V @ 250µA                         |
| Gate Charge (Qg) (Max) @ Vgs           | 43nC @ 10V                           |
| Input Capacitance (Ciss) (Max) @ Vds   | 1735pF @ 50V                         |
| Vgs (Max)                              | ±20V                                 |
| FET Feature                            | -                                    |
| Power Dissipation (Max)                | 5.2W (Ta), 64W (Tc)                  |
| Rds On (Max) @ Id, Vgs                 | 45 mOhm @ 5A, 10V                    |
| Operating Temperature                  | -55°C ~ 150°C (TJ)                   |
| Mounting Type                          | Surface Mount                        |
| Supplier Device Package                | PowerPAK? SO-8                       |
| Package / Case                         | PowerPAK? SO-8                       |
|  | Report errors?                       |

#### SI7430DP-T1-E3 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE EUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### SI7430DP-T1-E3 Payment Methods



## SI7430DP-T1-E3 Shipping Methods



If you have any question about SI7430DP-T1-E3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com