

SL-109-TT-11 Information



For Reference Only

Part Number SL-109-TT-11 Manufacturer Samtec Inc.

Category Connectors, Interconnects

Rectangular Connectors - Headers, Receptacles,

Female Sockets

Description CONN RCPT .100" 9POS TIN PCB

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SL-109-TT-11 Specifications

Manufacturer Part Number SL-109-TT-11 Manufacturer Samtec Inc. Category Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets Package - Series SL Connector Type Receptacle Contact Type Female Socket Style Board to Board Number of Positions 9 Number of Positions Loaded All Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm) Operating Temperature -55°C ~ 105°C		
Category Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets Package Series SL Connector Type Receptacle Contact Type Female Socket Style Board to Board Number of Positions 9 Number of Positions Loaded All Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating Insulation Color Black Insulation Height Contact Length - Post 0.108" (2.75mm) Contact Length - Post	Manufacturer Part Number	SL-109-TT-11
Rectangular Connectors - Headers, Receptacles, Female Sockets Package - Series SL Connector Type Receptacle Contact Type Female Socket Style Board to Board Number of Positions 9 Number of Positions Loaded All Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Contact Finish Thickness - Mating Insulation Color Black Insulation Height Contact Length - Post 0.108" (2.75mm) Contact Length - Post	Manufacturer	Samtec Inc.
Package-SeriesSLConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions9Number of Positions LoadedAllPitch - Mating0.100" (2.54mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypePush-PullContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorBlackInsulation Height0.132" (3.35mm)Contact Length - Post0.108" (2.75mm)	Category	Connectors, Interconnects
SeriesSLConnector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions9Number of Positions LoadedAllPitch - Mating0.100" (2.54mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypePush-PullContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorBlackInsulation Height0.132" (3.35mm)Contact Length - Post0.108" (2.75mm)		Rectangular Connectors - Headers, Receptacles, Female Sockets
Connector TypeReceptacleContact TypeFemale SocketStyleBoard to BoardNumber of Positions9Number of Positions LoadedAllPitch - Mating0.100" (2.54mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypePush-PullContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorBlackInsulation Height0.132" (3.35mm)Contact Length - Post0.108" (2.75mm)	Package	-
Contact TypeFemale SocketStyleBoard to BoardNumber of Positions9Number of Positions LoadedAllPitch - Mating0.100" (2.54mm)Number of Rows1Row Spacing - Mating-Mounting TypeThrough HoleTerminationSolderFastening TypePush-PullContact Finish - MatingTinContact Finish Thickness - Mating-Insulation ColorBlackInsulation Height0.132" (3.35mm)Contact Length - Post0.108" (2.75mm)	Series	SL
Style Board to Board Number of Positions 9 Number of Positions Loaded All Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Connector Type	Receptacle
Number of Positions Number of Positions Loaded Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Contact Type	Female Socket
Number of Positions Loaded All Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Style	Board to Board
Pitch - Mating 0.100" (2.54mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Number of Positions	9
Number of Rows 1 Row Spacing - Mating - Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Number of Positions Loaded	All
Row Spacing - Mating Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating Insulation Color Black Insulation Height O.132" (3.35mm) Contact Length - Post O.108" (2.75mm)	Pitch - Mating	0.100" (2.54mm)
Mounting Type Through Hole Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Number of Rows	1
Termination Solder Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Row Spacing - Mating	-
Fastening Type Push-Pull Contact Finish - Mating Tin Contact Finish Thickness - Mating - Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Mounting Type	Through Hole
Contact Finish - Mating Contact Finish Thickness - Mating Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Termination	Solder
Contact Finish Thickness - Mating Insulation Color Black Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Fastening Type	Push-Pull
Insulation Color Insulation Height O.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Contact Finish - Mating	Tin
Insulation Height 0.132" (3.35mm) Contact Length - Post 0.108" (2.75mm)	Contact Finish Thickness - Mating	-
Contact Length - Post 0.108" (2.75mm)	Insulation Color	Black
-	Insulation Height	0.132" (3.35mm)
Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$	Contact Length - Post	0.108" (2.75mm)
	Operating Temperature	-55°C ~ 105°C
Material Flammability Rating -	Material Flammability Rating	-

Contact Finish - Post	Tin
Mated Stacking Heights	-
Ingress Protection	-
Features	-
	Report errors?

SL-109-TT-11 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SL-109-TT-11 Payment Methods



















SL-109-TT-11 Shipping Methods













If you have any question about SL-109-TT-11, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com