

# SLPX153M016C3P3

#### SLPX153M016C3P3 Information



SLPX153M016C3P3
Cornell Dubilier Electronics (CDE)
Capacitors Aluminum Electrolytic Capacitors
CAP ALUM 15000UF 20% 16V SNAP
Radial, Can - Snap-In
For the pricing/inventory/lead time, please contact
us
Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### SLPX153M016C3P3 Specifications

Manufacturer Part NumberSLPX153M016C3P3ManufacturerCornell Dubilier Electronics (CDE)CategoryCapacitorsPackageAluninum Electrolytic CapacitorsPackageRadial, Can - Snap-InSeriesSLPXCapacitance1500µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature440°C ~ 85°C	
CategoryCapacitorsCategoryCapacitorsAluminum Electrolytic CapacitorsPackageRadial, Can - Snap-InSeriesSLPXCapacitance15000μFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
Aluminum Electrolytic CapacitorsPackageRadial, Can - Snap-InSeriesSLPXCapacitance15000µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
PackageRadial, Can - Snap-InSeriesSLPXCapacitance1500μFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
SeriesSLPXCapacitance15000µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
Capacitance1500μFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
Tolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
Voltage - Rated16VESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
ESR (Equivalent Series Resistance)44 mOhmLifetime @ Temp.3000 Hrs @ 85°C	
Lifetime @ Temp. 3000 Hrs @ 85°C	
-	
Operating Temperature-40°C ~ 85°C	
Polarization -	
Applications General Purpose	
Ripple Current - Low Frequency -	
Ripple Current - High Frequency -	
Impedance -	
Lead Spacing 0.394" (10.00mm)	
Size / Dimension 0.984" Dia (25.00mm)	
Height - Seated (Max) 1.181" (30.00mm)	
Surface Mount Land Size -	
Mounting Type Through Hole	
Package / Case Radial, Can - Snap-In	
Repo	

#### SLPX153M016C3P3 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### SLPX153M016C3P3 Payment Methods



## SLPX153M016C3P3 Shipping Methods



If you have any question about SLPX153M016C3P3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com