

# SLPX183M016E3P3

#### SLPX183M016E3P3 Information



Number	SLPX183M016E3P3
ufacturer	Cornell Dubilier Electronics (CDE)
gory	Capacitors Aluminum Electrolytic Capacitors
ription	CAP ALUM 18000UF 20% 16V SNAP
age	Radial, Can - Snap-In
	For the pricing/inventory/lead time, please contact
	us
	Website: https://www.heisener.com
	E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## SLPX183M016E3P3 Specifications

Manufacturer Part NumberSLPX183M016E3P3ManufacturerCornell Dubilier Electronics (CDE)CategoryCapacitorsCategoryAluminum Electrolytic CapacitonsPackageRadial, Can - Snap-InPackageSLPXCapacitance1800µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-	
CategoryCapacitorsAluminum Electrolytic CapacitorsPackageRadial, Can - Snap-InSeriesSLPXCapacitance18000µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Auminum Electrolytic CapacitorsPackageRadial, Can - Snap-InSeriesSLPXCapacitance18000µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
PackageRadial, Can - Snap-InSeriesSLPXCapacitance18000µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
SeriesSLPXCapacitance18000µFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Capacitance1800μFTolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Tolerance±20%Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Voltage - Rated16VESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
ESR (Equivalent Series Resistance)37 mOhmLifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Lifetime @ Temp.3000 Hrs @ 85°COperating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Operating Temperature-40°C ~ 85°CPolarization-ApplicationsGeneral Purpose	
Polarization   -     Applications   General Purpose	
Applications General Purpose	
Ripple Current - Low Frequency -	
Ripple Current - High Frequency -	
Impedance -	
Lead Spacing 0.394" (10.00mm)	
Size / Dimension 1.181" Dia (30.00mm)	
Height - Seated (Max) 1.181" (30.00mm)	
Surface Mount Land Size -	
Mounting Type Through Hole	
Package / Case Radial, Can - Snap-In	
Report	t errors?

#### SLPX183M016E3P3 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE BUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

# SLPX183M016E3P3 Payment Methods





If you have any question about SLPX183M016E3P3, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com