



### **SLR-332DC3F Information**

www.hasenac.com

For Reference Only

Part Number SLR-332DC3F

Manufacturer Rohm Semiconductor

**Category** Optoelectronics

LED Indication - Discrete

**Description** LED ORANGE CLEAR 3.2MM ROUND T/H

Package Radia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **SLR-332DC3F Specifications**

Manufacturer Part Number         SLR-332DC3F           Manufacturer         Rohm Semiconductor           Category         Optoelectronics           LED Indication - Discrete           Package         Radial           Series         SLR-332           Color         Orange           Configuration         -           Lens Color         Orange           Lens Transparency         Clear           Millicandela Rating         16mcd           Lens Style/Size         Round with Domed Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2V           Current - Test         10mA           Viewing Angle         85°           Mounting Type         Through Hole           Wavelength - Dominant         605nm           Wavelength - Peak         -           Peakage / Case         Radial           Supplier Device Package         T-1           Size / Dimension         -           Height (Max)         4.60mm		
Category         Optoelectronics           Package         Radial           Series         SLR-332           Color         Orange           Configuration         -           Lens Color         Orange           Lens Transparency         Clear           Millicandela Rating         16mcd           Lens Style/Size         Round with Domed Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2V           Current - Test         10mA           Viewing Angle         85°           Mounting Type         Through Hole           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         Radial           Supplier Device Package         T-1           Size / Dimension         -           Height (Max)         4.60mm	Manufacturer Part Number	SLR-332DC3F
Package         Radial           Series         SLR-332           Color         Orange           Configuration         -           Lens Color         Orange           Lens Transparency         Clear           Millicandela Rating         16mcd           Lens Style/Size         Round with Domed Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2V           Current - Test         10mA           Viewing Angle         85°           Mounting Type         Through Hole           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         Radial           Supplier Device Package         T-1           Size / Dimension         -           Height (Max)         4.60mm	Manufacturer	Rohm Semiconductor
Package         Radial           Series         SLR-332           Color         Orange           Configuration         -           Lens Color         Orange           Lens Transparency         Clear           Millicandela Rating         16mcd           Lens Style/Size         Round with Domed Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2V           Current - Test         10mA           Viewing Angle         85°           Mounting Type         Through Hole           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         Radial           Supplier Device Package         T-1           Size / Dimension         -           Height (Max)         4.60mm	Category	Optoelectronics
Series         SLR-332           Color         Orange           Configuration         -           Lens Color         Orange           Lens Transparency         Clear           Millicandela Rating         16mcd           Lens Style/Size         Round with Domed Top, 3.20mm           Voltage - Forward (Vf) (Typ)         2V           Current - Test         10mA           Viewing Angle         85°           Mounting Type         Through Hole           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         Radial           Supplier Device Package         T-1           Size / Dimension         -           Height (Max)         4.60mm		LED Indication - Discrete
ColorOrangeConfiguration-Lens ColorOrangeLens TransparencyClearMillicandela Rating16mcdLens Style/SizeRound with Domed Top, 3.20mmVoltage - Forward (Vf) (Typ)2VCurrent - Test10mAViewing Angle85°Mounting TypeThrough HoleWavelength - Dominant605nmWavelength - Peak-Features-Package / CaseRadialSupplier Device PackageT-1Size / Dimension-Height (Max)4.60mm	Package	Radial
Configuration - Consection - Co	Series	SLR-332
Lens ColorOrangeLens TransparencyClearMillicandela Rating16mcdLens Style/SizeRound with Domed Top, 3.20mmVoltage - Forward (Vf) (Typ)2VCurrent - Test10mAViewing Angle85°Mounting TypeThrough HoleWavelength - Dominant605nmWavelength - Peak-Features-Package / CaseRadialSupplier Device PackageT-1Size / Dimension-Height (Max)4.60mm	Color	Orange
Lens Transparency Millicandela Rating Lens Style/Size Round with Domed Top, 3.20mm Voltage - Forward (Vf) (Typ) 2V Current - Test 10mA Viewing Angle 85° Mounting Type Through Hole Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package T-1 Size / Dimension Lens Transparency Clear Clear Lens Clear Round with Domed Top, 3.20mm  2V Current - Tep, 3.20mm  And Clear Lens Clear Round with Domed Top, 3.20mm  2V Current - Test Lens Clear Round with Domed Top, 3.20mm  2V Current - Test Lens Clear Round with Domed Top, 3.20mm  And Clear Round with Domed Top, 3.20mm  2V Current - Test Lens Clear Round with Domed Top, 3.20mm  And Clear Round With Domed Top, 3.20mm  2V Current - Test Lens Clear Round with Domed Top, 3.20mm  And Clear Round With Domed Top, 3.20mm  2V Current - Test Lens Clear Round With Domed Top, 3.20mm  And Clear Round With Domed Top,	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 3.20mm Voltage - Forward (Vf) (Typ) 2V Current - Test 10mA Viewing Angle 85° Mounting Type Through Hole Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package T-1 Size / Dimension Height (Max)  16mcd 16mc	Lens Color	Orange
Lens Style/SizeRound with Domed Top, 3.20mmVoltage - Forward (Vf) (Typ)2VCurrent - Test10mAViewing Angle85°Mounting TypeThrough HoleWavelength - Dominant605nmWavelength - Peak-Features-Package / CaseRadialSupplier Device PackageT-1Size / Dimension-Height (Max)4.60mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)  Current - Test  10mA  Viewing Angle  85°  Mounting Type  Through Hole  Wavelength - Dominant  605nm  Wavelength - Peak  - Features  Package / Case  Radial  Supplier Device Package  T-1  Size / Dimension  Height (Max)  2V  A.60mm	Millicandela Rating	16mcd
Current - Test 10mA  Viewing Angle 85°  Mounting Type Through Hole  Wavelength - Dominant 605nm  Wavelength - Peak - Features - Package / Case Radial  Supplier Device Package T-1  Size / Dimension - Height (Max) 4.60mm	Lens Style/Size	Round with Domed Top, 3.20mm
Viewing Angle85°Mounting TypeThrough HoleWavelength - Dominant605nmWavelength - Peak-Features-Package / CaseRadialSupplier Device PackageT-1Size / Dimension-Height (Max)4.60mm	Voltage - Forward (Vf) (Typ)	2V
Mounting Type Through Hole  Wavelength - Dominant 605nm  Wavelength - Peak - Features - Package / Case Radial  Supplier Device Package T-1  Size / Dimension - Height (Max) 4.60mm	Current - Test	10mA
Wavelength - Dominant  Wavelength - Peak  - Features  - Package / Case  Radial  Supplier Device Package  T-1  Size / Dimension  - Height (Max)  605nm  605nm  -  4.60mm	Viewing Angle	85°
Wavelength - Peak - Features - Package / Case Radial Supplier Device Package T-1 Size / Dimension - Height (Max) 4.60mm	Mounting Type	Through Hole
Features - Case Radial Supplier Device Package T-1 Size / Dimension - Height (Max) 4.60mm	Wavelength - Dominant	605nm
Package / Case Radial Supplier Device Package T-1 Size / Dimension - Height (Max) 4.60mm	Wavelength - Peak	-
Supplier Device Package T-1 Size / Dimension - Height (Max) 4.60mm	Features	-
Size / Dimension - Height (Max) - 4.60mm	Package / Case	Radial
Height (Max) 4.60mm	Supplier Device Package	T-1
	Size / Dimension	-
Report errors?	Height (Max)	4.60mm
		Report errors?

#### **SLR-332DC3F Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **SLR-332DC3F Payment Methods**



















## **SLR-332DC3F Shipping Methods**













If you have any question about SLR-332DC3F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com