



SLR-343MG3F Information

Heisener.com

Part Number SLR-343MG3F

Manufacturer Rohm Semiconductor

Category Optoelectronics

LED Indication - Discrete

Description LED GRN DIFF 3MM ROUND T/H

Package Radia

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SLR-343MG3F Specifications

Manufacturer Part Number SLR-343MG3F Manufacturer Rohm Semiconductor Category Optoelectronics LED Indication - Discrete Package Radial Series SLR-343 Color Green Lens Color Green Lens Transparency Diffused Millicandela Rating 16mcd Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Supplier Device Package - Size / Dimension - Height (Max) 5.60mm Report errors?		
Category Optoelectronics LED Indication - Discrete Package Radial Series SLR-343 Color Green Configuration - Lens Color Green Lens Transparency Diffused Millicandela Rating 16mcd Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Manufacturer Part Number	SLR-343MG3F
Package Radial Series SLR-343 Color Green Configuration - Lens Color Green Lens Transparency Diffused Millicandela Rating 16mcd Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Manufacturer	Rohm Semiconductor
PackageRadialSeriesSLR-343ColorGreenConfiguration-Lens ColorGreenLens TransparencyDiffusedMillicandela Rating16mcdLens Style/SizeRound with Domed Top, 3.10mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test10mAViewing Angle40°Mounting TypeThrough HoleWavelength - Dominant572nmWavelength - Peak-Features-Package / CaseRadialSupplier Device Package-Size / Dimension-Height (Max)5.60mm	Category	Optoelectronics
Series SLR-343 Color Green Configuration - Lens Color Green Lens Transparency Diffused Millicandela Rating 16mcd Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm		LED Indication - Discrete
Color Green Configuration - Lens Color Green Lens Transparency Diffused Millicandela Rating 16mcd Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572mm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Package	Radial
Configuration-Lens ColorGreenLens TransparencyDiffusedMillicandela Rating16mcdLens Style/SizeRound with Domed Top, 3.10mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test10mAViewing Angle40°Mounting TypeThrough HoleWavelength - Dominant572nmWavelength - Peak-Features-Package / CaseRadialSupplier Device Package-Size / Dimension-Height (Max)5.60mm	Series	SLR-343
Lens ColorGreenLens TransparencyDiffusedMillicandela Rating16mcdLens Style/SizeRound with Domed Top, 3.10mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test10mAViewing Angle40°Mounting TypeThrough HoleWavelength - Dominant572nmWavelength - Peak-Features-Package / CaseRadialSupplier Device Package-Size / Dimension-Height (Max)5.60mm	Color	Green
Lens TransparencyDiffusedMillicandela Rating16mcdLens Style/SizeRound with Domed Top, 3.10mmVoltage - Forward (Vf) (Typ)2.1VCurrent - Test10mAViewing Angle40°Mounting TypeThrough HoleWavelength - Dominant572nmWavelength - Peak-Features-Package / CaseRadialSupplier Device Package-Size / Dimension-Height (Max)5.60mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package Size / Dimension Height (Max) 16mcd Round with Domed Round with Domed Top, 3.10mm - Round with Domed Top, 3.10m	Lens Color	Green
Lens Style/Size Round with Domed Top, 3.10mm Voltage - Forward (Vf) (Typ) 2.1V Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package Size / Dimension Height (Max) Round with Domed Top, 3.10mm Round Radial 40° Through Hole Fall Fall Fall Fall Fall Fall Fall F	Lens Transparency	Diffused
Voltage - Forward (Vf) (Typ) Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features Package / Case Radial Supplier Device Package Size / Dimension Height (Max) 2.1V 2.1V 2.1V Roman Radial 5.60mm	Millicandela Rating	16mcd
Current - Test 10mA Viewing Angle 40° Mounting Type Through Hole Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Lens Style/Size	Round with Domed Top, 3.10mm
Viewing Angle 40° Mounting TypeThrough HoleWavelength - Dominant 572nm Wavelength - Peak-Features-Package / CaseRadialSupplier Device Package-Size / Dimension-Height (Max) 5.60mm	Voltage - Forward (Vf) (Typ)	2.1V
Mounting Type Wavelength - Dominant 572nm Wavelength - Peak Features Package / Case Radial Supplier Device Package Size / Dimension Height (Max) Through Hole Through Hole France Radial - Radial 5.60mm	Current - Test	10mA
Wavelength - Dominant Wavelength - Peak Features - Package / Case Radial Supplier Device Package Size / Dimension Height (Max) 572nm - Radial - Radial 5.60mm	Viewing Angle	40°
Wavelength - Peak - Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Mounting Type	Through Hole
Features - Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Wavelength - Dominant	572nm
Package / Case Radial Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Wavelength - Peak	-
Supplier Device Package - Size / Dimension - Height (Max) 5.60mm	Features	-
Size / Dimension - Height (Max) 5.60mm	Package / Case	Radial
Height (Max) 5.60mm	Supplier Device Package	-
	Size / Dimension	-
Report errors?	Height (Max)	5.60mm
		Report errors?

SLR-343MG3F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SLR-343MG3F Payment Methods



















SLR-343MG3F Shipping Methods













If you have any question about SLR-343MG3F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com