



SM0603UBWC Information



For Reference Only

Part Number SM0603UBWC

Manufacturer Bivar Inc.

Category Optoelectronics

LED Indication - Discrete

Description LED BLUE CLEAR 0603 SMD

Package 0603 (1608 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SM0603UBWC Specifications

Manufacturer Part Number SM0603UBWC Manufacturer Bivar Inc. Category Optoelectronics LED Indication - Discrete Package 0603 (1608 Metric) Series - Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 115mcd Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470mm Wavelength - Peak 468mm Features - Supplier Device Package 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	•		
Category Optoelectronics LED Indication - Discrete Package 0603 (1608 Metric) Series - Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 115mcd Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Manufacturer Part Number	SM0603UBWC	
Package 0603 (1608 Metric) Series - Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 115mcd Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Manufacturer	Bivar Inc.	
Package 0603 (1608 Metric) Series - Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 115mcd Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Category	Optoelectronics	
Series - Color Blue Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 115mcd Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm		LED Indication - Discrete	
ColorBlueConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating115mcdLens Style/SizeRectangle with Flat Top, 1.00mm x 0.80mmVoltage - Forward (Vf) (Typ)3VCurrent - Test20mAViewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Package	0603 (1608 Metric)	
Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 115mcd Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Series	-	
Lens ColorColorlessLens TransparencyClearMillicandela Rating115mcdLens Style/SizeRectangle with Flat Top, 1.00mm x 0.80mmVoltage - Forward (Vf) (Typ)3VCurrent - Test20mAViewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Color	Blue	
Lens TransparencyClearMillicandela Rating115mcdLens Style/SizeRectangle with Flat Top, 1.00mm x 0.80mmVoltage - Forward (Vf) (Typ)3VCurrent - Test20mAViewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Configuration	-	
Millicandela Rating Lens Style/Size Rectangle with Flat Top, 1.00mm x 0.80mm Voltage - Forward (Vf) (Typ) 3V Current - Test 20mA Viewing Angle 130° Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm Height (Max) 0.80mm	Lens Color	Colorless	
Lens Style/SizeRectangle with Flat Top, 1.00mm x 0.80mmVoltage - Forward (Vf) (Typ)3VCurrent - Test20mAViewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Lens Transparency	Clear	
Voltage - Forward (Vf) (Typ)3VCurrent - Test20mAViewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Millicandela Rating	115mcd	
Current - Test20mAViewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Lens Style/Size	Rectangle with Flat Top, 1.00mm x 0.80mm	
Viewing Angle130°Mounting TypeSurface MountWavelength - Dominant470nmWavelength - Peak468nmFeatures-Package / Case0603 (1608 Metric)Supplier Device Package0603Size / Dimension1.60mm L x 0.80mm WHeight (Max)0.80mm	Voltage - Forward (Vf) (Typ)	3V	
Mounting Type Surface Mount Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Current - Test	20mA	
Wavelength - Dominant 470nm Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Viewing Angle	130°	
Wavelength - Peak 468nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Mounting Type	Surface Mount	
Features - Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Wavelength - Dominant	470nm	
Package / Case 0603 (1608 Metric) Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Wavelength - Peak	468nm	
Supplier Device Package 0603 Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Features	-	
Size / Dimension 1.60mm L x 0.80mm W Height (Max) 0.80mm	Package / Case	0603 (1608 Metric)	
Height (Max) 0.80mm	Supplier Device Package	0603	
	Size / Dimension	1.60mm L x 0.80mm W	
Report errors?	Height (Max)	0.80mm	
			Report errors?

SM0603UBWC Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SM0603UBWC Payment Methods



















SM0603UBWC Shipping Methods













If you have any question about SM0603UBWC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com