



SMGAD-5 Information



For Reference Only

Part Number SMGAD-5

Manufacturer TE Connectivity Aerospace, Defense and Marine

Category Relays

Signal Relays, Up to 2 Amps

Description RELAY GEN PURPOSE DPDT 1A 5V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SMGAD-5 Specifications

| Manufacturer Part Number SMGAD-5 Manufacturer TE Connectivity Aerospace, Defense and Marine Category Relays Signal Relays, Up to 2 Amps Package - Series SMGAD, CII Relay Type General Purpose Coil Type Non Latching Coil Current 100mA Coil Voltage 5VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) 0.23 VDC Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | | |
|--|--------------------------|---|
| CategoryRelaysPackage-SeriesSMGAD, CIIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current100mACoil Voltage5 VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage28 VDC - NomTurn On Voltage (Max)2.7 VDCTurn Off Voltage (Min)0.23 VDCOperate Time2msRelease Time4msFeaturesSealed - HermeticallyMounting TypeSurface MountTermination Style- | Manufacturer Part Number | SMGAD-5 |
| Package-SeriesSMGAD, CIIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current100mACoil Voltage5VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage28VDC - NomTurn On Voltage (Max)2.7 VDCTurn Off Voltage (Min)0.23 VDCOperate Time2msRelease Time4msFeaturesSealed - HermeticallyMounting TypeSurface MountTermination Style- | Manufacturer | TE Connectivity Aerospace, Defense and Marine |
| Package - Series SMGAD, CII Relay Type General Purpose Coil Type Non Latching Coil Current 100mA Coil Voltage 5VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) 0.23 VDC Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Category | Relays |
| SeriesSMGAD, CIIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current100mACoil Voltage5VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage28VDC - NomTurn On Voltage (Max)2.7 VDCTurn Off Voltage (Min)0.23 VDCOperate Time2msRelease Time4msFeaturesSealed - HermeticallyMounting TypeSurface MountTermination Style- | | Signal Relays, Up to 2 Amps |
| Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current100mACoil Voltage5VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage28VDC - NomTurn On Voltage (Max)2.7 VDCTurn Off Voltage (Min)0.23 VDCOperate Time2msRelease Time4msFeaturesSealed - HermeticallyMounting TypeSurface MountTermination Style- | Package | - |
| Coil Type Non Latching Coil Current 100mA Coil Voltage 5VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) 0.23 VDC Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Series | SMGAD, CII |
| Coil Current100mACoil Voltage5VDCContact FormDPDT (2 Form C)Contact Rating (Current)1ASwitching Voltage28VDC - NomTurn On Voltage (Max)2.7 VDCTurn Off Voltage (Min)0.23 VDCOperate Time2msRelease Time4msFeaturesSealed - HermeticallyMounting TypeSurface MountTermination Style- | Relay Type | General Purpose |
| Coil Voltage 5VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) 0.23 VDC Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Coil Type | Non Latching |
| Contact Form DPDT (2 Form C) Contact Rating (Current) Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style DPDT (2 Form C) 1A Switching Current) 1A 28VDC - Nom 2.7 VDC 4.7 VDC 4.7 VDC 5.7 VDC 5.8 VDC 5.9 VDC 6.9 V | Coil Current | 100mA |
| Contact Rating (Current) Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Coil Voltage | 5VDC |
| Switching Voltage 28VDC - Nom Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) 0.23 VDC Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Contact Form | DPDT (2 Form C) |
| Turn On Voltage (Max) 2.7 VDC Turn Off Voltage (Min) 0.23 VDC Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style | Contact Rating (Current) | 1A |
| Turn Off Voltage (Min) Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style | Switching Voltage | 28VDC - Nom |
| Operate Time 2ms Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Turn On Voltage (Max) | 2.7 VDC |
| Release Time 4ms Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Turn Off Voltage (Min) | 0.23 VDC |
| Features Sealed - Hermetically Mounting Type Surface Mount Termination Style - | Operate Time | 2ms |
| Mounting Type Surface Mount Termination Style - | Release Time | 4ms |
| Termination Style - | Features | Sealed - Hermetically |
| | Mounting Type | Surface Mount |
| Report errors? | Termination Style | - |
| | | Report errors? |

SMGAD-5 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SMGAD-5 Payment Methods





















SMGAD-5 Shipping Methods













If you have any question about SMGAD-5, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com