



SML-212DTT86 Information



For Reference Only

Part Number SML-212DTT86

Manufacturer Rohm Semiconductor

Category Optoelectronics

LED Indication - Discrete

Description LED ORANGE CLEAR 0805 SMD

Package 0805 (2012 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SML-212DTT86 Specifications

Manufacturer Part Number SML-212DTT86 Manufacturer Rohm Semiconductor Category Optoelectronics LED Indication - Discrete Package 8085 (2012 Metric) Series - Color Orange Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle - Wavelength - Dominant 605mm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm L x 1.25mm W		
Category Optoelectronics LED Indication - Discrete Package 0805 (2012 Metric) Series - Color Orange Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Manufacturer Part Number	SML-212DTT86
Package 0805 (2012 Metric) Series - Color Orange Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Manufacturer	Rohm Semiconductor
Package 0805 (2012 Metric) Series - Color Orange Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Category	Optoelectronics
Series - Color Orange Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05 V Current - Test 20mA Viewing Angle - Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm		LED Indication - Discrete
Color Orange Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Package	0805 (2012 Metric)
Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 63mcd Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating63mcdLens Style/SizeRectangle with Flat Top, 1.40mm x 1.25mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case0805 (2012 Metric)Supplier Device Package2012(0805)Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.90mm	Color	Orange
Lens TransparencyClearMillicandela Rating63mcdLens Style/SizeRectangle with Flat Top, 1.40mm x 1.25mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case0805 (2012 Metric)Supplier Device Package2012(0805)Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.90mm	Configuration	-
Millicandela Rating Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm Voltage - Forward (Vf) (Typ) 2.05V Current - Test 20mA Viewing Angle	Lens Color	Colorless
Lens Style/SizeRectangle with Flat Top, 1.40mm x 1.25mmVoltage - Forward (Vf) (Typ)2.05VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case0805 (2012 Metric)Supplier Device Package2012(0805)Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.90mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)2.05 VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case0805 (2012 Metric)Supplier Device Package2012(0805)Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.90mm	Millicandela Rating	63mcd
Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Lens Style/Size	Rectangle with Flat Top, 1.40mm x 1.25mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case0805 (2012 Metric)Supplier Device Package2012(0805)Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.90mm	Voltage - Forward (Vf) (Typ)	2.05V
Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Current - Test	20mA
Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Viewing Angle	-
Wavelength - Peak - Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Mounting Type	Surface Mount
Features - Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Wavelength - Dominant	605nm
Package / Case 0805 (2012 Metric) Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Wavelength - Peak	-
Supplier Device Package 2012(0805) Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Features	-
Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.90mm	Package / Case	0805 (2012 Metric)
Height (Max) 0.90mm	Supplier Device Package	2012(0805)
	Size / Dimension	2.00mm L x 1.25mm W
Report errors?	Height (Max)	0.90mm
		Report errors?

SML-212DTT86 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SML-212DTT86 Payment Methods



















SML-212DTT86 Shipping Methods













If you have any question about SML-212DTT86, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com