

# **SML-LX1110SOC-ATR**

#### **SML-LX1110SOC-ATR Information**



For Reference Only

Part Number SML-LX1110SOC-ATR

Manufacturer Lumex Opto/Components Inc.

Category Optoelectronics LED Lighting - Color

**Description** LED 620NM SUP ORANGE CLEAR 4PLCC

Package 4-SMD, J-Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **SML-LX1110SOC-ATR Specifications**

Manufacturer Part Number         SML-LX1110SOC-ATR           Manufacturer         Lumex Opto/Components Inc.           Category         Optoelectronics           LED Lighting - Color           Package         4-SMD, J-Lead           Series         TitanBrite?           Color         Orange           Wavelength         620nm (Typ)           Current - Test         350mA           Voltage - Forward (Vf) (Typ)         2V           Lumens/Watt @ Current - Test         39 lm/W           Current - Max         350mA           Flux @ Current/Temperature - Test         27 lm (Typ)           Temperature - Test         25°C           Viewing Angle         120°           Mounting Type         Surface Mount           Package / Case         4-SMD, J-Lead           Supplier Device Package         4-PLCC           Size / Dimension         0.394" L x 0.394" W (10.00mm x 10.00mm)		
Category  Detectronics  LED Lighting - Color  Package  4-SMD, J-Lead  Series  TitanBrite?  Color  Orange  Wavelength  620nm (Typ)  Current - Test  350mA  Voltage - Forward (Vf) (Typ)  2V  Lumens/Watt @ Current - Test  39 lm/W  Current - Max  350mA  Flux @ Current/Temperature - Test  27 lm (Typ)  Temperature - Test  25°C  Viewing Angle  Mounting Type  Surface Mount  Package / Case  4-SMD, J-Lead  Supplier Device Package	Manufacturer Part Number	SML-LX1110SOC-ATR
PackageLED Lighting - ColorPackage4-SMD, J-LeadSeriesTitanBrite?ColorOrangeWavelength620nm (Typ)Current - Test350mAVoltage - Forward (Vf) (Typ)2VLumens/Watt @ Current - Test39 lm/WCurrent - Max350mAFlux @ Current/Temperature - Test27 lm (Typ)Temperature - Test25°CViewing Angle120°Mounting TypeSurface MountPackage / Case4-SMD, J-LeadSupplier Device Package4-PLCC	Manufacturer	Lumex Opto/Components Inc.
Package 4-SMD, J-Lead Series TitanBrite? Color Orange Wavelength 620nm (Typ) Current - Test 350mA Voltage - Forward (Vf) (Typ) 2V Lumens/Watt @ Current - Test 39 lm/W Current - Max 350mA Flux @ Current/Temperature - Test 27 lm (Typ) Temperature - Test 25°C Viewing Angle 120° Mounting Type Surface Mount Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC	Category	Optoelectronics
Series Color Orange Wavelength 620nm (Typ) Current - Test 350mA Voltage - Forward (Vf) (Typ) Lumens/Watt @ Current - Test 39 lm/W Current - Max 350mA Flux @ Current/Temperature - Test 27 lm (Typ) Temperature - Test 25°C Viewing Angle Mounting Type Surface Mount Package / Case Supplier Device Package 4-PLCC		LED Lighting - Color
Color Wavelength 620nm (Typ) Current - Test 350mA Voltage - Forward (Vf) (Typ) Lumens/Watt @ Current - Test 39 lm/W Current - Max 350mA Flux @ Current/Temperature - Test 27 lm (Typ) Temperature - Test 25°C Viewing Angle 120° Mounting Type Surface Mount Package / Case Supplier Device Package 4-PLCC	Package	4-SMD, J-Lead
Wavelength Current - Test 350mA Voltage - Forward (Vf) (Typ) 2V Lumens/Watt @ Current - Test 39 lm/W Current - Max 350mA Flux @ Current/Temperature - Test 27 lm (Typ) Temperature - Test 25°C Viewing Angle 120° Mounting Type Surface Mount Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC	Series	TitanBrite?
Current - Test 350mA  Voltage - Forward (Vf) (Typ) 2V  Lumens/Watt @ Current - Test 39 lm/W  Current - Max 350mA  Flux @ Current/Temperature - Test 27 lm (Typ)  Temperature - Test 25°C  Viewing Angle 120°  Mounting Type Surface Mount  Package / Case 4-SMD, J-Lead  Supplier Device Package 4-PLCC	Color	Orange
Voltage - Forward (Vf) (Typ)  Lumens/Watt @ Current - Test  39 lm/W  Current - Max  350mA  Flux @ Current/Temperature - Test  27 lm (Typ)  Temperature - Test  25°C  Viewing Angle  120°  Mounting Type  Surface Mount  Package / Case  4-SMD, J-Lead  Supplier Device Package	Wavelength	620nm (Typ)
Lumens/Watt @ Current - Test39 lm/WCurrent - Max350mAFlux @ Current/Temperature - Test27 lm (Typ)Temperature - Test25°CViewing Angle120°Mounting TypeSurface MountPackage / Case4-SMD, J-LeadSupplier Device Package4-PLCC	Current - Test	350mA
Current - Max  Flux @ Current/Temperature - Test  27 lm (Typ)  Temperature - Test  25°C  Viewing Angle  120°  Mounting Type  Surface Mount  Package / Case  4-SMD, J-Lead  Supplier Device Package  4-PLCC	Voltage - Forward (Vf) (Typ)	2V
Flux @ Current/Temperature - Test  27 lm (Typ)  Temperature - Test  25°C  Viewing Angle  120°  Mounting Type  Surface Mount  Package / Case  4-SMD, J-Lead  Supplier Device Package  4-PLCC	Lumens/Watt @ Current - Test	39 lm/W
Temperature - Test 25°C  Viewing Angle 120°  Mounting Type Surface Mount  Package / Case 4-SMD, J-Lead  Supplier Device Package 4-PLCC	Current - Max	350mA
Viewing Angle 120°  Mounting Type Surface Mount  Package / Case 4-SMD, J-Lead  Supplier Device Package 4-PLCC	Flux @ Current/Temperature - Test	27 lm (Typ)
Mounting Type Surface Mount Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC	Temperature - Test	25°C
Package / Case 4-SMD, J-Lead Supplier Device Package 4-PLCC	Viewing Angle	120°
Supplier Device Package 4-PLCC	Mounting Type	Surface Mount
	Package / Case	4-SMD, J-Lead
Size / Dimension 0.394" L x 0.394" W (10.00mm x 10.00mm)	Supplier Device Package	4-PLCC
	Size / Dimension	0.394" L x 0.394" W (10.00mm x 10.00mm)
Height - Seated (Max) 0.173" (4.40mm)	Height - Seated (Max)	0.173" (4.40mm)
Report errors?		Report errors?

### **SML-LX1110SOC-ATR Guarantees**



#### **Ouality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **SML-LX1110SOC-ATR Payment Methods**



















### SML-LX1110SOC-ATR Shipping Methods













If you have any question about SML-LX1110SOC-ATR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com