

Heisener.com

SML-LXL505SYC-TR

SML-LXL505SYC-TR Information

Part Number SML-LXL505SYC-TR

Manufacturer Lumex Opto/Components Inc.

Category Optoelectronics

LED Indication - Discrete

Description LED YELLOW CLEAR 4SMD

Package 4-SMD, Flat Leads

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SML-LXL505SYC-TR Specifications

Manufacturer Part Number Manufacturer Lumex Opto/Components Inc. Optoelectronics LED Indication - Discrete Package 4-SMD, Flat Leads Series - Color Yellow Configuration Lens Color Lens Transparency Millicandela Rating Lens Style/Size Voltage - Forward (Vf) (Typ) Current - Test Viewing Angle Mounting Type Wavelength - Dominant Wavelength - Peak Features Package SML-LXL505SYC-TR Lumex Opto/Components Inc. Optoelectronics Lens Inc. Optoelectronics Lens Inc. Optoelectronics Lend Inc. Colorles - Colorles Clear Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Surface Mount Wavelength - Dominant Wavelength - Peak Features - Package (Core		
Category Dytoelectronics LED Indication - Discrete Package 4-SMD, Flat Leads Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features	Manufacturer Part Number	SML-LXL505SYC-TR
LED Indication - Discrete Package 4-SMD, Flat Leads Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 30° Mounting Type Surface Mount Wavelength - Dominant Wavelength - Peak 590nm Features -	Manufacturer	Lumex Opto/Components Inc.
Package Series - Color Yellow Configuration - Lens Color Color Colorless Lens Transparency Millicandela Rating Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle Mounting Type Surface Mount Wavelength - Dominant Wavelength - Peak Features - 4-SMD, Flat Leads - 2-MA Yellow Colories Lens Transparency Clear 1200mcd Round Wavelength - Smm (T-1 3/4), 5.00mm - Surface Mount - Surface Mount - Wavelength - Peak - Seatures -	Category	Optoelectronics
Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 30° Mounting Type Surface Mount Wavelength - Dominant Wavelength - Peak 590nm Features -		LED Indication - Discrete
Color Configuration - Lens Color Colorless Lens Transparency Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 30° Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features -	Package	4-SMD, Flat Leads
Configuration Lens Color Colorless Lens Transparency Clear Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 30° Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features -	Series	-
Lens Color Lens Transparency Clear Millicandela Rating 1200mcd Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle Mounting Type Surface Mount Wavelength - Dominant Wavelength - Peak Features -	Color	Yellow
Lens TransparencyClearMillicandela Rating1200mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.00mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle30°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak590nmFeatures-	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features -	Lens Color	Colorless
Lens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.00mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle30°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak590nmFeatures-	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 30° Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features -	Millicandela Rating	1200mcd
Current - Test 20mA Viewing Angle 30° Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features -	Lens Style/Size	Round with Domed Top, 5mm (T-1 3/4), 5.00mm
Viewing Angle30°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak590nmFeatures-	Voltage - Forward (Vf) (Typ)	2V
Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 590nm Features -	Current - Test	20mA
Wavelength - Dominant - Wavelength - Peak 590nm Features -	Viewing Angle	30°
Wavelength - Peak 590nm Features -	Mounting Type	Surface Mount
Features -	Wavelength - Dominant	-
	Wavelength - Peak	590nm
Pagkaga / Casa 4 SMD. Flat Loads	Features	-
rackage / Case 4-SMD, Flat Leads	Package / Case	4-SMD, Flat Leads
Supplier Device Package Surface Mounted Dome LED	Supplier Device Package	Surface Mounted Dome LED
Size / Dimension 6.60mm L x 6.60mm W	Size / Dimension	6.60mm L x 6.60mm W
Height (Max) 5.40mm	Height (Max)	5.40mm
Report errors		Report errors?

SML-LXL505SYC-TR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SML-LXL505SYC-TR Payment Methods



















SML-LXL505SYC-TR Shipping Methods













If you have any question about SML-LXL505SYC-TR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com