



# **SML-S13DTT68 Information**

Heisener.com

Manufact Category

Part Number SML-S13DTT68

Manufacturer Rohm Semiconductor

Optoelectronics LED Indication - Discrete

DescriptionLED ORANGE CLEARPackage1206 (3216 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **SML-S13DTT68 Specifications**

Manufacturer Part Number         SML-S13DTT68           Manufacturer         Rohm Semiconductor           Category         Optoelectronics           LED Indication - Discrete           Package         1206 (3216 Metric)           Series         SML-S1           Color         Orange           Configuration         -           Lens Color         -           Lens Transparency         -           Millicandela Rating         1400mcd           Lens Style/Size         Round with Domed Top, 1.60mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         -           Wavelength - Dominant         605mm           Wavelength - Peak         -           Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm           Report errors?	*	
Category         Optoelectronics           Package         1206 (3216 Metric)           Series         SML-S1           Color         Orange           Configuration         -           Lens Color         -           Lens Transparency         -           Millicandela Rating         1400mcd           Lens Style/Size         Round with Domed Top, 1.60mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm	Manufacturer Part Number	SML-S13DTT68
Package         1206 (3216 Metric)           Series         SML-S1           Color         Orange           Configuration         -           Lens Color         -           Lens Transparency         -           Millicandela Rating         1400mcd           Lens Style/Size         Round with Domed Top, 1.60mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm	Manufacturer	Rohm Semiconductor
Package         1206 (3216 Metric)           Series         SML-S1           Color         Orange           Configuration         -           Lens Color         -           Lens Transparency         -           Millicandela Rating         1400mcd           Lens Style/Size         Round with Domed Top, 1.60mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm	Category	Optoelectronics
Series         SML-S1           Color         Orange           Configuration         -           Lens Color         -           Lens Transparency         -           Millicandela Rating         1400mcd           Lens Style/Size         Round with Domed Top, 1.60mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm		LED Indication - Discrete
Color         Orange           Configuration         -           Lens Color         -           Lens Transparency         -           Millicandela Rating         1400mcd           Lens Style/Size         Round with Domed Top, 1.60mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         -           Mounting Type         Surface Mount           Wavelength - Dominant         605nm           Wavelength - Peak         -           Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm	Package	1206 (3216 Metric)
Configuration       -         Lens Color       -         Lens Transparency       -         Millicandela Rating       1400mcd         Lens Style/Size       Round with Domed Top, 1.60mm         Voltage - Forward (Vf) (Typ)       1.9V         Current - Test       20mA         Viewing Angle       -         Mounting Type       Surface Mount         Wavelength - Dominant       605nm         Wavelength - Peak       -         Features       -         Package / Case       1206 (3216 Metric)         Supplier Device Package       3216 (1206)         Size / Dimension       3.20mm L x 1.60mm W         Height (Max)       1.95mm	Series	SML-S1
Lens Transparency	Color	Orange
Lens Transparency Millicandela Rating 1400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 605nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package Size / Dimension Height (Max) 1.95mm	Lens Color	-
Lens Style/SizeRound with Domed Top, 1.60mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case1206 (3216 Metric)Supplier Device Package3216 (1206)Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.95mm	Lens Transparency	-
Voltage - Forward (Vf) (Typ)  Current - Test  20mA  Viewing Angle  - Mounting Type  Surface Mount  Wavelength - Dominant  Wavelength - Peak  Features  Package / Case  1206 (3216 Metric)  Supplier Device Package  Size / Dimension  Height (Max)  1.95mm	Millicandela Rating	1400mcd
Current - Test       20mA         Viewing Angle       -         Mounting Type       Surface Mount         Wavelength - Dominant       605nm         Wavelength - Peak       -         Features       -         Package / Case       1206 (3216 Metric)         Supplier Device Package       3216 (1206)         Size / Dimension       3.20mm L x 1.60mm W         Height (Max)       1.95mm	Lens Style/Size	Round with Domed Top, 1.60mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant605nmWavelength - Peak-Features-Package / Case1206 (3216 Metric)Supplier Device Package3216 (1206)Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.95mm	Voltage - Forward (Vf) (Typ)	1.9V
Mounting Type Surface Mount  Wavelength - Dominant 605nm  Wavelength - Peak -  Features -  Package / Case 1206 (3216 Metric)  Supplier Device Package 3216 (1206)  Size / Dimension 3.20mm L x 1.60mm W  Height (Max) 1.95mm	Current - Test	20mA
Wavelength - Dominant  Wavelength - Peak  Features  - Package / Case  1206 (3216 Metric)  Supplier Device Package  3216 (1206)  Size / Dimension  3.20mm L x 1.60mm W  Height (Max)  1.95mm	Viewing Angle	-
Wavelength - Peak       -         Features       -         Package / Case       1206 (3216 Metric)         Supplier Device Package       3216 (1206)         Size / Dimension       3.20mm L x 1.60mm W         Height (Max)       1.95mm	Mounting Type	Surface Mount
Features         -           Package / Case         1206 (3216 Metric)           Supplier Device Package         3216 (1206)           Size / Dimension         3.20mm L x 1.60mm W           Height (Max)         1.95mm	Wavelength - Dominant	605nm
Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Wavelength - Peak	-
Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Features	-
Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Package / Case	1206 (3216 Metric)
Height (Max) 1.95mm	Supplier Device Package	3216 (1206)
	Size / Dimension	3.20mm L x 1.60mm W
Report errors?	Height (Max)	1.95mm
		Report errors?

#### **SML-S13DTT68** Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **SML-S13DTT68 Payment Methods**



















# **SML-S13DTT68 Shipping Methods**













If you have any question about SML-S13DTT68, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com