



SML-S13MTT86 Information

Heisener.com

Part Number SML-S13MTT86

Manufacturer Rohm Semiconductor

Category Optoelectronics

Optoelectronics LED Indication - Discrete

Description LED YELLOW-GRN CLEAR

Package 1206 (3216 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SML-S13MTT86 Specifications

Manufacturer Part Number SML-S13MTT86 Manufacturer Rohm Semiconductor Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series SML-S1 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Viewing Angle - Wavelength - Dominant 572nm Wavelength - Peak - Peatures - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	•	
Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series SML-S1 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Manufacturer Part Number	SML-S13MTT86
Package 1206 (3216 Metric) Series SML-S1 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Manufacturer	Rohm Semiconductor
Package 1206 (3216 Metric) Series SML-S1 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Category	Optoelectronics
Series SML-S1 Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm		LED Indication - Discrete
Color Yellow-Green Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Package	1206 (3216 Metric)
Configuration - Lens Color - Lens Transparency - Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Series	SML-S1
Lens Color-Lens Transparency-Millicandela Rating400mcdLens Style/SizeRound with Domed Top, 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak-Features-Package / Case1206 (3216 Metric)Supplier Device Package3216 (1206)Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.95mm	Color	Yellow-Green
Lens Transparency Millicandela Rating 400mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant S72nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package Size / Dimension Height (Max) 1.95mm	Lens Color	-
Lens Style/SizeRound with Domed Top, 1.60mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle-Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak-Features-Package / Case1206 (3216 Metric)Supplier Device Package3216 (1206)Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.95mm	Lens Transparency	-
Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Millicandela Rating	400mcd
Current - Test 20mA Viewing Angle - Mounting Type Surface Mount Wavelength - Dominant 572nm Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Lens Style/Size	Round with Domed Top, 1.60mm
Viewing Angle-Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak-Features-Package / Case1206 (3216 Metric)Supplier Device Package3216 (1206)Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.95mm	Voltage - Forward (Vf) (Typ)	2V
Mounting TypeSurface MountWavelength - Dominant572nmWavelength - Peak-Features-Package / Case1206 (3216 Metric)Supplier Device Package3216 (1206)Size / Dimension3.20mm L x 1.60mm WHeight (Max)1.95mm	Current - Test	20mA
Wavelength - Dominant Wavelength - Peak Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Viewing Angle	-
Wavelength - Peak - Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Mounting Type	Surface Mount
Features - Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Wavelength - Dominant	572nm
Package / Case 1206 (3216 Metric) Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Wavelength - Peak	-
Supplier Device Package 3216 (1206) Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Features	-
Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.95mm	Package / Case	1206 (3216 Metric)
Height (Max) 1.95mm	Supplier Device Package	3216 (1206)
	Size / Dimension	3.20mm L x 1.60mm W
Report errors?	Height (Max)	1.95mm
		Report errors?

SML-S13MTT86 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SML-S13MTT86 Payment Methods



















SML-S13MTT86 Shipping Methods













If you have any question about SML-S13MTT86, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com