



# **SMW327RJT Information**



For Reference Only

Part Number SMW327RJT

Manufacturer TE Connectivity Passive Product

**Category** Resistors

Chip Resistor - Surface Mount

**Description**RES SMD 27 OHM 5% 3W 4122**Package**4122 (10555 Metric), J-Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **SMW327RJT Specifications**

Manufacturer Part NumberSMW327RJTManufacturerTE Connectivity Passive ProductCategoryResistorsChip Resistor - Surface MountPackage4122 (10555 Metric), J-LeadSeriesSMW, CGSResistance27 OhmsTolerance±5%Power (Watts)3WCompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient±200ppm/°COperating Temperature-80°C ~ 280°CPackage / Case4122 (10555 Metric), J-Lead
Category  Resistors  Chip Resistor - Surface Mount  Package  4122 (10555 Metric), J-Lead  Series  SMW, CGS  Resistance  27 Ohms  Tolerance  ±5%  Power (Watts)  Composition  Wirewound  Features  Flame Retardant Coating, Safety  Temperature Coefficient  ±200ppm/°C  Operating Temperature  -80°C ~ 280°C
Chip Resistor - Surface Mount  Package 4122 (10555 Metric), J-Lead  Series SMW, CGS  Resistance 27 Ohms  Tolerance ±5%  Power (Watts) 3W  Composition Wirewound  Features Flame Retardant Coating, Safety  Temperature Coefficient ±200ppm/°C  Operating Temperature -80°C ~ 280°C
Package $4122 (10555  \text{Metric})$ , J-LeadSeriesSMW, CGSResistance $27  \text{Ohms}$ Tolerance $\pm 5\%$ Power (Watts) $3W$ CompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
SeriesSMW, CGSResistance27 OhmsTolerance $\pm 5\%$ Power (Watts)3WCompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Resistance27 OhmsTolerance $\pm 5\%$ Power (Watts) $3W$ CompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Tolerance $\pm 5\%$ Power (Watts) $3W$ CompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Power (Watts) $3W$ CompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
CompositionWirewoundFeaturesFlame Retardant Coating, SafetyTemperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Features Flame Retardant Coating, Safety  Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Temperature Coefficient $\pm 200 \text{ppm}/^{\circ}\text{C}$ Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Operating Temperature $-80^{\circ}\text{C} \sim 280^{\circ}\text{C}$
Package / Case 4122 (10555 Metric), J-Lead
Supplier Device Package SMD
Size / Dimension 0.413" L x 0.217" W (10.50mm x 5.50mm)
Height - Seated (Max) 0.209" (5.30mm)
Number of Terminations 2
Failure Rate -
Report errors

#### **SMW327RJT Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **SMW327RJT Payment Methods**



















### **SMW327RJT Shipping Methods**













If you have any question about SMW327RJT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com