



SN74AHC00PWE4 Information



For Reference Only

Part Number SN74AHC00PWE4

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)
Logic - Gates and Inverters

Description IC GATE NAND 4CH 2-INP 14-TSSOP **Package** 14-TSSOP (0.173", 4.40mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SN74AHC00PWE4 Specifications

Manufacturer Part Number SN74AHC00PWE4 Manufacturer Texas Instruments Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-TSSOP (0.173", 4.40mm Width) Series 74AHC Logic Type NAND Gate Number of Circuits 4 Number of Inputs 2 Features - Voltage - Supply 2 V ~ 5.5 V Current - Quiescent (Max) 2 μA Current - Output High, Low 8mA, 8mA Logic Level - Low 0.5 V ~ 1.65 V Logic Level - High 1.5 V ~ 3.85 V Max Propagation Delay @ V, Max CL 7.5ns @ 5V, 50pF Operating Temperature -40°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP Package / Case 14-TSSOP (0.173", 4.40mm Width)		
CategoryIntegrated Circuits (ICs)Logic - Gates and InvertersPackage 14 -TSSOP (0.173", 4 .40mm Width)Series 74 AHCLogic TypeNAND GateNumber of Circuits 4 Number of Inputs 2 Features $-$ Voltage - Supply $2 \text{ V} \sim 5.5 \text{ V}$ Current - Quiescent (Max) $2\mu A$ Current - Output High, Low 8mA , 8mA Logic Level - Low $0.5 \text{ V} \sim 1.65 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 3.85 \text{ V}$ Max Propagation Delay @ V, Max CL 7.5ns @ 5V , 50pF Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Manufacturer Part Number	SN74AHC00PWE4
Package Logic - Gates and Inverters Package 14-TSSOP (0.173", 4.40mm Width) Series 74AHC Logic Type NAND Gate Number of Circuits 4 Number of Inputs 2 Features - Voltage - Supply 2 V ~ 5.5 V Current - Quiescent (Max) 2μA Current - Output High, Low 8mA, 8mA Logic Level - Low 0.5 V ~ 1.65 V Logic Level - High 1.5 V ~ 3.85 V Max Propagation Delay @ V, Max CL 7.5ns @ 5V, 50pF Operating Temperature -40°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Manufacturer	Texas Instruments
Package14-TSSOP (0.173", 4.40mm Width)Series74AHCLogic TypeNAND GateNumber of Circuits4Number of Inputs2Features-Voltage - Supply2 V ~ 5.5 VCurrent - Quiescent (Max)2μACurrent - Output High, Low8mA, 8mALogic Level - Low0.5 V ~ 1.65 VLogic Level - High1.5 V ~ 3.85 VMax Propagation Delay @ V, Max CL7.5ns @ 5V, 50pFOperating Temperature-40°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Category	Integrated Circuits (ICs)
Series $74AHC$ Logic TypeNAND GateNumber of Circuits4Number of Inputs2Features-Voltage - Supply $2 \text{ V} \sim 5.5 \text{ V}$ Current - Quiescent (Max) $2\mu A$ Current - Output High, Low $8mA, 8mA$ Logic Level - Low $0.5 \text{ V} \sim 1.65 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 3.85 \text{ V}$ Max Propagation Delay @ V, Max CL $7.5ns @ 5V, 50pF$ Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP		Logic - Gates and Inverters
Logic TypeNAND GateNumber of Circuits4Number of Inputs2Features-Voltage - Supply $2 \text{ V} \sim 5.5 \text{ V}$ Current - Quiescent (Max) $2\mu A$ Current - Output High, Low $8mA$, $8mA$ Logic Level - Low $0.5 \text{ V} \sim 1.65 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 3.85 \text{ V}$ Max Propagation Delay @ V, Max CL $7.5ns$ @ $5V$, $50pF$ Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Package	14-TSSOP (0.173", 4.40mm Width)
Number of Circuits4Number of Inputs2Features-Voltage - Supply2 V ~ 5.5 VCurrent - Quiescent (Max)2μACurrent - Output High, Low8mA, 8mALogic Level - Low0.5 V ~ 1.65 VLogic Level - High1.5 V ~ 3.85 VMax Propagation Delay @ V, Max CL7.5ns @ 5V, 50pFOperating Temperature-40°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Series	74AHC
Number of Inputs 2 Features - Voltage - Supply 2 $V \sim 5.5 V$ Current - Quiescent (Max) 2 μ A Current - Output High, Low 8 μ A, 8 μ A Logic Level - Low 0.5 $V \sim 1.65 V$ Logic Level - High 1.5 $V \sim 3.85 V$ Max Propagation Delay @ V, Max CL 7.5 μ SopF Operating Temperature -40°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Logic Type	NAND Gate
Features $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	Number of Circuits	4
Voltage - Supply $2\ V \sim 5.5\ V$ $Current - Quiescent (Max) 2\mu A Current - Output High, Low 8mA, 8mA Logic Level - Low \\ Logic Level - High \\ Max Propagation Delay @ V, Max CL \\ Operating Temperature -40^{\circ}C \sim 125^{\circ}C Mounting Type Surface Mount \\ Supplier Device Package 14-TSSOP$	Number of Inputs	2
Current - Quiescent (Max) $2\mu A$ Current - Output High, Low $8mA$, $8mA$ Logic Level - Low $0.5 \text{ V} \sim 1.65 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 3.85 \text{ V}$ Max Propagation Delay @ V, Max CL $7.5ns \otimes 5V$, $50pF$ Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Features	-
Current - Output High, Low 8mA, 8mA Logic Level - Low 0.5 V ~ 1.65 V Logic Level - High 1.5 V ~ 3.85 V Max Propagation Delay @ V, Max CL 7.5ns @ 5V, 50pF Operating Temperature -40°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Voltage - Supply	2 V ~ 5.5 V
Logic Level - Low $0.5 \text{ V} \sim 1.65 \text{ V}$ Logic Level - High $1.5 \text{ V} \sim 3.85 \text{ V}$ Max Propagation Delay @ V, Max CL $7.5 \text{ns} \otimes 5 \text{V}, 50 \text{pF}$ Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Current - Quiescent (Max)	2μΑ
Logic Level - High $1.5 \text{ V} \sim 3.85 \text{ V}$ Max Propagation Delay @ V, Max CL 7.5ns @ 5V , 50pF Operating Temperature $-40 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Mounting TypeSurface MountSupplier Device Package 14-TSSOP	Current - Output High, Low	8mA, 8mA
Max Propagation Delay @ V, Max CL7.5ns @ 5V, 50pFOperating Temperature-40°C ~ 125°CMounting TypeSurface MountSupplier Device Package14-TSSOP	Logic Level - Low	0.5 V ~ 1.65 V
Operating Temperature -40°C ~ 125°C Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Logic Level - High	1.5 V ~ 3.85 V
Mounting Type Surface Mount Supplier Device Package 14-TSSOP	Max Propagation Delay @ V, Max CL	7.5ns @ 5V, 50pF
Supplier Device Package 14-TSSOP	Operating Temperature	-40°C ~ 125°C
	Mounting Type	Surface Mount
Package / Case 14-TSSOP (0.173", 4.40mm Width)	Supplier Device Package	14-TSSOP
	Package / Case	14-TSSOP (0.173", 4.40mm Width)
Report errors?		Report errors?

SN74AHC00PWE4 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SN74AHC00PWE4 Payment Methods



















SN74AHC00PWE4 Shipping Methods













If you have any question about SN74AHC00PWE4, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com