

SP00SE-20-41P(301)

SP00SE-20-41P(301) Information

Heisener.com	SP00SE-20-41P(301) Amphenol Industrial Operations Connectors, Interconnects Circular Connectors CONN RCPT 41POS WALL MNT PIN - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



SP00SE-20-41P(301) Specifications

Manufacturer Part NumberSP00SE-20-41P(301)ManufacturerAmphenol Industrial OperationsCategoryConnectors, InterconnectsPackage-SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions41Shell Size - Insert20-41Muting TypePanel Mount, FlangeMounting TypeBayonet LockForniationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress Protection-Shell Material, Finish-Contact Finish-Shell State, State-Otigae - Rated600VACCurrent Rating5.5A		
CategoryConnectors, Interconnects Circular ConnectorsPackage-SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions41Shell Size - Insert20-41Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Yoltage - Rated600VACCurrent Rating7.5A	Manufacturer Part Number	SP00SE-20-41P(301)
Initial ConnectorsPackage-SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions41Shell Size - Insert20-41Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Shell Material, Finish-Shell Material, Finish-Shell Material, Finish60VACYotage - Rated60VACCurrent Rating7.5A	Manufacturer	Amphenol Industrial Operations
Package-SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions41Shell Size - Insert20-41Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Fastening-Yoltage - Rated-Sterl Sterl St	Category	Connectors, Interconnects
SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions41Shell Size - Insert20-41Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features600VACVitage - Rateing5.5A		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions41Shell Size - Insert20-41Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Yoltage - Rated600VACKurent Rating5.5	Package	-
Number of Positions41Shell Size - Insert20-41Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Series	MIL-DTL-26482 Series I, SP
Shell Size - Insert20-41Shell Size, MIL-Mouning TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Connector Type	Receptacle, Male Pins
Interfact and Shell Size, MILInterfact and Shell Mount, FlangeMounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Number of Positions	41
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeBayonet LockOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Shell Size - Insert	20-41
TerminationCrimpFastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Shell Size, MIL	-
Fastening TypeBayonet LockOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Mounting Type	Panel Mount, Flange
OrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Termination	Crimp
Ingress ProtectionEnvironment ResistantShell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Fastening Type	Bayonet Lock
Shell Material, Finish-Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Orientation	N (Normal)
Contact Finish-Features-Voltage - Rated600VACCurrent Rating7.5A	Ingress Protection	Environment Resistant
Features-Voltage - Rated600VACCurrent Rating7.5A	Shell Material, Finish	-
Voltage - Rated600VACCurrent Rating7.5A	Contact Finish	-
Current Rating 7.5A	Features	-
-	Voltage - Rated	600VAC
Report errors?	Current Rating	7.5A
		Report errors?

SP00SE-20-41P(301) Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

SP00SE-20-41P(301) Payment Methods



SP00SE-20-41P(301) Shipping Methods



If you have any question about SP00SE-20-41P(301), please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com