

## SP02A-20-16P Information

Heisener.com

Part Number SP02A-20-16P

Manufacturer Amphenol Industrial Operations

Category Connectors, Interconnects

Circular Connectors

**Description** CONN RCPT 16POS BOX MNT PIN

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# SP02A-20-16P Specifications

Manufacturer Part Number         SP02A-20-16P           Manufacturer         Amphenol Industrial Operations           Category         Connectors, Interconnects           Package         -           Series         MIL-DTL-26482 Series I, SP           Connector Type         Receptacle, Male Pins           Number of Positions         16           Shell Size - Insert         20-16           Shell Size, MIL         -           Mounting Type         Panel Mount, Flange           Termination         Solder Cup           Fastening Type         Bayonet Lock           Orientation         N (Normal)           Ingress Protection         -           Shell Material, Finish         Aluminum, Anodic Coating (Alumilite)           Contact Finish         Gold           Features         -           Voltage - Rated         1000VAC           Current Rating         13A		
Category Connectors, Interconnects Circular Connectors  Package - Series MIL-DTL-26482 Series I, SP Connector Type Receptacle, Male Pins Number of Positions 16 Shell Size - Insert 20-16 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A	Manufacturer Part Number	SP02A-20-16P
Circular Connectors  Package - Series MIL-DTL-26482 Series I, SP Connector Type Receptacle, Male Pins Number of Positions 16 Shell Size - Insert 20-16 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating  IMIL-DTL-26482 Series I, SP MIL - Allu-DTL-26482 Series I, SP  Receptacle, Male Pins  N(Normal)  16  Aluminum, Flange Solder Cup  - Voltage - Rated 1000VAC Current Rating	Manufacturer	Amphenol Industrial Operations
Package - MIL-DTL-26482 Series I, SP Connector Type Receptacle, Male Pins Number of Positions 16 Shell Size - Insert 20-16 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A	Category	Connectors, Interconnects
Series MIL-DTL-26482 Series I, SP  Connector Type Receptacle, Male Pins  Number of Positions 16  Shell Size - Insert 20-16  Shell Size, MIL		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions16Shell Size - Insert20-16Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A	Package	-
Number of Positions  Shell Size - Insert  20-16  Shell Size, MIL  Mounting Type  Panel Mount, Flange  Termination  Solder Cup  Fastening Type  Bayonet Lock  Orientation  N (Normal)  Ingress Protection  Shell Material, Finish  Aluminum, Anodic Coating (Alumilite)  Contact Finish  Features  Voltage - Rated  1000VAC  Current Rating  13A	Series	MIL-DTL-26482 Series I, SP
Shell Size - Insert  Shell Size, MIL  Mounting Type Panel Mount, Flange  Termination Solder Cup  Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite)  Contact Finish Features - Voltage - Rated 1000VAC Current Rating 13A	Connector Type	Receptacle, Male Pins
Shell Size, MIL  Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Voltage - Rated 1000VAC Current Rating 13A	Number of Positions	16
Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeatures-Voltage - Rated1000VACCurrent Rating13A	Shell Size - Insert	20-16
Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A	Shell Size, MIL	-
Fastening Type  Orientation  N (Normal)  Ingress Protection  Shell Material, Finish  Contact Finish  Gold  Features  Voltage - Rated  Current Rating  Bayonet Lock  N (Normal)  -  Gold  Aluminum, Anodic Coating (Alumilite)  Gold  -  1000VAC	Mounting Type	Panel Mount, Flange
Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features - Voltage - Rated 1000VAC Current Rating 13A	Termination	Solder Cup
Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite)  Contact Finish Gold  Features - Voltage - Rated 1000VAC  Current Rating 13A	Fastening Type	Bayonet Lock
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Aluminum, Anodic Coating (Alumilite)  Gold - 1000VAC 13A	Orientation	N (Normal)
Contact Finish Gold  Features -  Voltage - Rated 1000VAC  Current Rating 13A	Ingress Protection	-
Features - Voltage - Rated 1000VAC Current Rating 13A	Shell Material, Finish	Aluminum, Anodic Coating (Alumilite)
Voltage - Rated 1000VAC Current Rating 13A	Contact Finish	Gold
Current Rating 13A	Features	-
-	Voltage - Rated	1000VAC
Report errors?	Current Rating	13A
		Report errors?

#### SP02A-20-16P Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## SP02A-20-16P Payment Methods





















## SP02A-20-16P Shipping Methods













If you have any question about SP02A-20-16P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com