

SP02P-12-10P Information

Heisener.com

Part Number SP02P-12-10P

Manufacturer Amphenol Industrial Operations

Category Connectors, Interconnects **Circular Connectors**

Description CONN RCPT 10POS BOX MNT PIN

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SP02P-12-10P Specifications

| Manufacturer Part Number SP02P-12-10P Manufacturer Amphenol Industrial Operations Category Connectors, Interconnects Package - Series MIL-DTL-26482 Series I, SP Connector Type Receptacle, Male Pins Number of Positions 10 Shell Size - Insert 12-10 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | | |
|--|--------------------------|--------------------------------------|
| Category Connectors, Interconnects Circular Connectors Package - Series MIL-DTL-26482 Series I, SP Connector Type Receptacle, Male Pins Number of Positions 10 Shell Size - Insert 12-10 Shell Size, MIL - Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Potted Voltage - Rated Convert Rating 7,5A | Manufacturer Part Number | SP02P-12-10P |
| Package-SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions10Shell Size - Insert12-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Manufacturer | Amphenol Industrial Operations |
| Package-SeriesMIL-DTL-26482 Series I, SPConnector TypeReceptacle, Male PinsNumber of Positions10Shell Size - Insert12-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Category | Connectors, Interconnects |
| Series MIL-DTL-26482 Series I, SP Connector Type Receptacle, Male Pins Number of Positions 10 Shell Size - Insert 12-10 Shell Size, MIL | | Circular Connectors |
| Connector TypeReceptacle, Male PinsNumber of Positions10Shell Size - Insert12-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Package | - |
| Number of Positions10Shell Size - Insert12-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Series | MIL-DTL-26482 Series I, SP |
| Shell Size - Insert12-10Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Connector Type | Receptacle, Male Pins |
| Shell Size, MIL Mounting Type Panel Mount, Flange Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Features Potted Voltage - Rated 600VAC Current Rating 7- Shell Mount, Flange Fanel Mount, Flange Fanel Mount, Flange Aluminum, Flange Folde Contact Finish Folde Folde 7- 5A | Number of Positions | 10 |
| Mounting TypePanel Mount, FlangeTerminationSolder CupFastening TypeBayonet LockOrientationN (Normal)Ingress Protection-Shell Material, FinishAluminum, Anodic Coating (Alumilite)Contact FinishGoldFeaturesPottedVoltage - Rated600VACCurrent Rating7.5A | Shell Size - Insert | 12-10 |
| Termination Solder Cup Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Shell Size, MIL | - |
| Fastening Type Bayonet Lock Orientation N (Normal) Ingress Protection Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Mounting Type | Panel Mount, Flange |
| Orientation N (Normal) Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Termination | Solder Cup |
| Ingress Protection - Shell Material, Finish Aluminum, Anodic Coating (Alumilite) Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Fastening Type | Bayonet Lock |
| Shell Material, Finish Contact Finish Gold Features Potted Voltage - Rated Current Rating Aluminum, Anodic Coating (Alumilite) Gold Potted Potted 7.5A | Orientation | N (Normal) |
| Contact Finish Gold Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Ingress Protection | - |
| Features Potted Voltage - Rated 600VAC Current Rating 7.5A | Shell Material, Finish | Aluminum, Anodic Coating (Alumilite) |
| Voltage - Rated 600VAC Current Rating 7.5A | Contact Finish | Gold |
| Current Rating 7.5A | Features | Potted |
| - | Voltage - Rated | 600VAC |
| Report errors? | Current Rating | 7.5A |
| | | Report errors? |

SP02P-12-10P Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SP02P-12-10P Payment Methods



















SP02P-12-10P Shipping Methods













If you have any question about SP02P-12-10P, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com