

SSD10 Information

Part Number SSD10
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

DescriptionFUSE CRTRDGE 10A 240VAC CYLINDR**Package**Cylindrical, Blade Terminal (Alternating)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SSD10 Specifications

Manufacturer Part NumberSSD10ManufacturerEatonCategoryCircuit ProtectionPackageCylindrical, Blade Terminal (Alternating)SeriesSSDFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC240VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeHolderPackage / CaseCylindrical, Blade Terminal (Alternating)Size / Dimension0.472" Dia x 0.906" L (12.00mm x 23.00mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Alternating)SeriesSSDFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC240VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeHolderPackage / CaseCylindrical, Blade Terminal (Alternating)	Manufacturer Part Number	SSD10
Package Cylindrical, Specialty Fuses Package Cylindrical, Blade Terminal (Alternating) Series SSD Fuse Type Cartridge Current Rating 10A Voltage Rating - AC 240V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Alternating)SeriesSSDFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC240VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeHolderPackage / CaseCylindrical, Blade Terminal (Alternating)	Category	Circuit Protection
SeriesSSDFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC240VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage33kAMounting TypeHolderPackage / CaseCylindrical, Blade Terminal (Alternating)		Electrical, Specialty Fuses
Fuse Type Cartridge Current Rating 10A Voltage Rating - AC 240V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cartridge 240V Cartridge Locartridge	Package	Cylindrical, Blade Terminal (Alternating)
Current Rating Voltage Rating - AC 240V Voltage Rating - DC	Series	SSD
Voltage Rating - AC Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case 240V 240V 240V 240V 240V - 140 240V - 140 - 150 160 160 160 160 160 160 160	Fuse Type	Cartridge
Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case - Cylindrical, Blade Terminal (Alternating)	Current Rating	10A
Response Time - Applications Electrical, Industrial Features - Class -	Voltage Rating - AC	240V
Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Voltage Rating - DC	-
Features - Class - Class - Component of the Component of	Response Time	-
Class - Approvals - Class - Coperating Temperature - Streaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Applications	Electrical, Industrial
Approvals - Operating Temperature - Streaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Class	-
Breaking Capacity @ Rated Voltage 33kA Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Approvals	-
Mounting Type Holder Package / Case Cylindrical, Blade Terminal (Alternating)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Alternating)	Breaking Capacity @ Rated Voltage	33kA
	Mounting Type	Holder
Size / Dimension 0.472" Dia x 0.906" L (12.00mm x 23.00mm)	Package / Case	Cylindrical, Blade Terminal (Alternating)
	Size / Dimension	0.472" Dia x 0.906" L (12.00mm x 23.00mm)
Report errors?		Report errors?

SSD10 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SSD10 Payment Methods



















SSD10 Shipping Methods













If you have any question about SSD10, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com