



SSM015L4KN Information

Heisener.com

For Reference Only

Part Number SSM015L4KN

Manufacturer TE Connectivity Aerospace, Defense and Marine

Category Connectors, Interconnects

Rectangular Connectors - Headers, Receptacles,

Female Sockets

CONN RCPT 15POS SMD Description

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









SSM015L4KN Specifications

Manufacturer Part Number SSM015L4KN Manufacturer TE Connectivity Aerospace, Defense and Marine Category Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets Package - Series DUALOBE, Nanonics Connector Type Receptacle Contact Type Female Socket Style Board to Cable/Wire Number of Positions 15 Number of Positions Loaded All Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature - Material Elammability Rating -		
Category Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets Package - Series DUALOBE, Nanonics Connector Type Receptacle Contact Type Female Socket Style Board to Cable/Wire Number of Positions 15 Number of Positions Loaded All Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating Insulation Color Insulation Height Contact Length - Post Operating Temperature -	Manufacturer Part Number	SSM015L4KN
Rectangular Connectors - Headers, Receptacles, Female Sockets Package DUALOBE, Nanonics Connector Type Receptacle Contact Type Female Socket Style Board to Cable/Wire Number of Positions 15 Number of Positions Loaded All Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating Insulation Color Insulation Height Contact Length - Post Operating Temperature - Receptacles, Female Sockets DUALOBE, Nanonics 1 Leader Le	Manufacturer	TE Connectivity Aerospace, Defense and Marine
Package-SeriesDUALOBE, NanonicsConnector TypeReceptacleContact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions15Number of Positions LoadedAllPitch - Mating0.025" (0.64mm)Number of Rows1Row Spacing - Mating-Mounting TypeSurface MountTerminationSolderFastening TypeThreadedContact Finish - MatingGoldContact Finish Thickness - Mating-Insulation Color-Insulation Height0.223" (5.66mm)Contact Length - Post-Operating Temperature-	Category	Connectors, Interconnects
Series DUALOBE, Nanonics Connector Type Receptacle Contact Type Female Socket Style Board to Cable/Wire Number of Positions 15 Number of Positions Loaded All Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -		Rectangular Connectors - Headers, Receptacles, Female Sockets
Connector TypeReceptacleContact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions15Number of Positions LoadedAllPitch - Mating0.025" (0.64mm)Number of Rows1Row Spacing - Mating-Mounting TypeSurface MountTerminationSolderFastening TypeThreadedContact Finish - MatingGoldContact Finish Thickness - Mating-Insulation Color-Insulation Height0.223" (5.66mm)Contact Length - Post-Operating Temperature-	Package	-
Contact TypeFemale SocketStyleBoard to Cable/WireNumber of Positions15Number of Positions LoadedAllPitch - Mating0.025" (0.64mm)Number of Rows1Row Spacing - Mating-Mounting TypeSurface MountTerminationSolderFastening TypeThreadedContact Finish - MatingGoldContact Finish Thickness - Mating-Insulation Color-Insulation Height0.223" (5.66mm)Contact Length - Post-Operating Temperature-	Series	DUALOBE, Nanonics
Style Board to Cable/Wire Number of Positions 15 Number of Positions Loaded All Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Connector Type	Receptacle
Number of Positions 15 Number of Positions Loaded All Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Contact Type	Female Socket
Number of Positions Loaded Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Contact Finish Thickness - Mating Insulation Color Insulation Height Ontact Length - Post Operating Temperature All 0.025" (0.64mm) Cuntact Finish Contact Finish Contact Finish Contact Finish Contact Finish Contact Finish Contact Finish Thickness - Mating Contact Finish Thickness - Mat	Style	Board to Cable/Wire
Pitch - Mating 0.025" (0.64mm) Number of Rows 1 Row Spacing - Mating - Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Number of Positions	15
Number of Rows Row Spacing - Mating	Number of Positions Loaded	All
Row Spacing - Mating Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating Insulation Color Insulation Height One of the surface of t	Pitch - Mating	0.025" (0.64mm)
Mounting Type Surface Mount Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating Insulation Color Insulation Height O.223" (5.66mm) Contact Length - Post Operating Temperature -	Number of Rows	1
Termination Solder Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Row Spacing - Mating	-
Fastening Type Threaded Contact Finish - Mating Gold Contact Finish Thickness - Mating - Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Mounting Type	Surface Mount
Contact Finish - Mating Contact Finish Thickness - Mating Insulation Color Insulation Height Operating Temperature Gold	Termination	Solder
Contact Finish Thickness - Mating Insulation Color Insulation Height Operating Temperature	Fastening Type	Threaded
Insulation Color - Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Contact Finish - Mating	Gold
Insulation Height 0.223" (5.66mm) Contact Length - Post - Operating Temperature -	Contact Finish Thickness - Mating	-
Contact Length - Post - Operating Temperature -	Insulation Color	-
Operating Temperature -	Insulation Height	0.223" (5.66mm)
	Contact Length - Post	-
Material Flammability Rating -	Operating Temperature	-
Tracerial Familiaethy Rading	Material Flammability Rating	-

Contact Finish - Post	Tin-Lead
Mated Stacking Heights	-
Ingress Protection	-
Features	Mating Flange, Mounting Flange, Shielded
	Report errors?

SSM015L4KN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

SSM015L4KN Payment Methods



















SSM015L4KN Shipping Methods













If you have any question about SSM015L4KN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com