



ST12KS2V30Q Information

Manufact
Category

Part Number ST12KS2V30Q Manufacturer APEM Inc. Category Switches

Toggle Switches

Description SWITCH TOGGLE SPDT 6A 125V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ST12KS2V30Q Specifications

Manufacturer Part Number ST12KS2V30Q Manufacturer APEM Inc. Category Switches Toggle Switches Package - Series ST Circuit SPDT Switch Function On-Off-On Current Rating 6A (AC), 7A (DC) Voltage Rating - AC 125V Voltage Rating - DC 30V Actuator Type Standard Round Actuator Length 10.41mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features -		
Category Switches Package - Series ST Circuit SPDT Switch Function On-Off-On Current Rating 6A (AC), 7A (DC) Voltage Rating - AC 125V Voltage Rating - DC 30V Actuator Type Standard Round Actuator Length 10.41mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features -	Manufacturer Part Number	ST12KS2V30Q
Package - Series ST Circuit SPDT Switch Function On-Off-On Current Rating 6A (AC), 7A (DC) Voltage Rating - AC 125V Voltage Rating - DC 30V Actuator Type Standard Round Actuator Length 10.41 mm Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Clerk SPDT Features SPDT STATE SPDT STA	Manufacturer	APEM Inc.
Package-SeriesSTCircuitSPDTSwitch FunctionOn-Off-OnCurrent Rating6A (AC), 7A (DC)Voltage Rating - AC125VVoltage Rating - DC30VActuator TypeStandard RoundActuator Length10.41mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-Features-	Category	Switches
SeriesSTCircuitSPDTSwitch FunctionOn-Off-OnCurrent Rating6A (AC), 7A (DC)Voltage Rating - AC125VVoltage Rating - DC30VActuator TypeStandard RoundActuator Length10.41mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-Features-		Toggle Switches
CircuitSPDTSwitch FunctionOn-Off-OnCurrent Rating6A (AC), 7A (DC)Voltage Rating - AC125VVoltage Rating - DC30VActuator TypeStandard RoundActuator Length10.41mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-Features-	Package	-
Switch Function On-Off-On Current Rating 6A (AC), 7A (DC) Voltage Rating - AC 125V Voltage Rating - DC 30V Actuator Type Standard Round Actuator Length 10.41mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features - On-Off-On 6A (AC), 7A (DC) 6	Series	ST
Current Rating6A (AC), 7A (DC)Voltage Rating - AC125VVoltage Rating - DC30VActuator TypeStandard RoundActuator Length10.41mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-Features-	Circuit	SPDT
Voltage Rating - AC125VVoltage Rating - DC30VActuator TypeStandard RoundActuator Length10.41mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-Features-	Switch Function	On-Off-On
Voltage Rating - DC30VActuator TypeStandard RoundActuator Length10.41mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-Features-	Current Rating	6A (AC), 7A (DC)
Actuator Type Standard Round Actuator Length 10.41mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features - Standard Round 10.41mm Pound Round Pon-Illuminated - Standard Round Ingress Panel Round Ingress Protection - Standard Round Ingress Protection Standard Round Ingress Protection Standard Round Ingress Protection Standard Round Ingress Protection Standard Round Ingress Ponel Round Ingress Protection Standard Round Ingress Protection S	Voltage Rating - AC	125V
Actuator Length Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Ingress Protection Features Indicate the many and the mount of the mou	Voltage Rating - DC	30V
Illumination Non-Illuminated Illumination Type, Color	Actuator Type	Standard Round
Illumination Type, Color Illumination Voltage (Nominal) Mounting Type Through Hole Termination Style Panel Cutout Dimensions Panel Cutout Dimensions Unthreaded Ingress Protection Features	Actuator Length	10.41mm
Illumination Voltage (Nominal) Mounting Type Through Hole PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection Features - - - - - - - - - - - - -	Illumination	Non-Illuminated
Mounting Type Through Hole Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features	Illumination Type, Color	-
Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features -	Illumination Voltage (Nominal)	-
Panel Cutout Dimensions - Unthreaded Unthreaded Ingress Protection - Catalogue Features - Cat	Mounting Type	Through Hole
Bushing Thread Unthreaded Ingress Protection Features	Termination Style	PC Pin
Ingress Protection - Features -	Panel Cutout Dimensions	-
Features -	Bushing Thread	Unthreaded
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

ST12KS2V30Q Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ST12KS2V30Q Payment Methods



















ST12KS2V30Q Shipping Methods













If you have any question about ST12KS2V30Q, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com